

References

- [1] Kaminski-Hartenthaler A, Meerpohl JJ, Gartlehner G, Kien C, Langer G, Wipplinger J, et al. [GRADE guidelines: 14. Going from evidence to recommendations: the significance and presentation of recommendations]. *Z Evid Fortbild Qual Gesundhwes*. 2014;108; 413-420.
- [2] Drucker AM, Ellis AG, Bohdanowicz M, Mashayekhi S, Yiu ZZN, Rochweg B, et al. Systemic Immunomodulatory Treatments for Patients With Atopic Dermatitis: A Systematic Review and Network Meta-analysis. *JAMA Dermatol*. 2020;156; 659-667.
- [3] Drucker AM. Systemic immunomodulatory treatments for atopic dermatitis: a living systematic review and network meta-analysis. 2020. <https://eczematherapies.com/research/>.
- [4] Silverberg JI, Simpson EL, Armstrong AW, de Bruin-Weller MS, Irvine AD, Reich K. Expert Perspectives on Key Parameters that Impact Interpretation of Randomized Clinical Trials in Moderate-to-Severe Atopic Dermatitis. *American journal of clinical dermatology*. 2021.
- [5] Wollenberg A, Christen-Zäch S, Taieb A, Paul C, Thyssen JP, de Bruin-Weller M, et al. ETFAD/EADV Eczema task force 2020 position paper on diagnosis and treatment of atopic dermatitis in adults and children. *J Eur Acad Dermatol Venereol*. 2020;34; 2717-2744.
- [6] Schünemann H, Brožek J, Guyatt G, Oxman A. Handbook for grading the quality of evidence and the strength of recommendations using the GRADE approach. 2013. <https://gdt.grade.pro.org/app/handbook/handbook.html>.
- [7] Oakley A. Eczema Area and Severity Index: EASI score. 2015. <https://dermnetnz.org/topics/easi-score/>.
- [8] Charman CR, Venn AJ, Ravenscroft JC, Williams HC. Translating Patient-Oriented Eczema Measure (POEM) scores into clinical practice by suggesting severity strata derived using anchor-based methods. *Br J Dermatol*. 2013;169; 1326-1332.
- [9] Brodská P, Panzner P, Pizinger K, Schmid-Grendelmeier P. IgE-Mediated Sensitization to Malassezia in Atopic Dermatitis: More Common in Male Patients and in Head and Neck Type. *Dermatitis*. 2014;25; 120-126.
- [10] Cardiff University. Dermatology Life Quality Index. <https://www.cardiff.ac.uk/medicine/resources/quality-of-life-questionnaires/dermatology-life-quality-index>.
- [11] Ryan R, Synnot A, Hill S. Describing results. 2016. <http://cccr.org/author-resources>.
- [12] Ring J, Zink A, Arents BWM, Seitz IA, Mensing U, Schielein MC, et al. Atopic eczema: burden of disease and individual suffering - results from a large EU study in adults. *J Eur Acad Dermatol Venereol*. 2019;33; 1331-1340.
- [13] Sackett DL, Rosenberg WM, Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ*. 1996;312; 71-72.
- [14] Barbarot S, Stalder JF. Therapeutic patient education in atopic eczema. *Br J Dermatol*. 2014;170 Suppl 1; 44-48.
- [15] Arents BWM. Eczema treatment: it takes time to do no harm. *Br J Dermatol*. 2017;177; 613-614.
- [16] Andreasen TH, Christensen MO, Halling AS, Egeberg A, Thyssen JP. Placebo response in phase 2 and 3 trials of systemic and biological therapies for atopic dermatitis-a systematic review and meta-analysis. *J Eur Acad Dermatol Venereol*. 2020;34; 1143-1150.
- [17] Zink AGS, Arents BWM, Fink-Wagner A, Seitz IA, Mensing U, Wettemann N, et al. Out-of-pocket Costs for Individuals with Atopic Eczema: A Cross-sectional Study in Nine European Countries. *Acta Derm Venereol*. 2019;99; 263-267.
- [18] Langan SM, Irvine AD, Weidinger S. Atopic dermatitis. *Lancet*. 2020;396; 345-360.
- [19] Ring J. Atopic dermatitis: eczema. Springer. 2016.

- [20] Palmer CN, Irvine AD, Terron-Kwiatkowski A, Zhao Y, Liao H, Lee SP, et al. Common loss-of-function variants of the epidermal barrier protein filaggrin are a major predisposing factor for atopic dermatitis. *Nature genetics*. 2006;38; 441-446.
- [21] Cork MJ, Danby SG, Vasilopoulos Y, Hadgraft J, Lane ME, Moustafa M, et al. Epidermal barrier dysfunction in atopic dermatitis. *J Invest Dermatol*. 2009;129; 1892-1908.
- [22] Briot A, Deraison C, Lacroix M, Bonnart C, Robin A, Besson C, et al. Kallikrein 5 induces atopic dermatitis-like lesions through PAR2-mediated thymic stromal lymphopoietin expression in Netherton syndrome. *J Exp Med*. 2009;206; 1135-1147.
- [23] Draelos ZD. An evaluation of prescription device moisturizers. *J Cosmet Dermatol*. 2009;8; 40-43.
- [24] Elias PM, Wakefield JS, Man MQ. Moisturizers versus Current and Next-Generation Barrier Repair Therapy for the Management of Atopic Dermatitis. *Skin Pharmacol Physiol*. 2019;32; 1-7.
- [25] Gelmetti C, Wollenberg A. Atopic dermatitis - all you can do from the outside. *Br J Dermatol*. 2014;170 Suppl 1; 19-24.
- [26] Wollenberg A, Schnopp C. Evolution of conventional therapy in atopic dermatitis. *Immunol Allergy Clin North Am*. 2010;30; 351-368.
- [27] Abramovits W, Hebert AA, Boguniewicz M, Kempers SE, Tschen E, Jarratt MT, et al. Patient-reported outcomes from a multicenter, randomized, vehicle-controlled clinical study of MAS063DP (Atopiclair) in the management of mild-to-moderate atopic dermatitis in adults. *J Dermatolog Treat*. 2008;19; 327-332.
- [28] Boralevi F, Saint Aroman M, Delarue A, Raudsepp H, Kaszuba A, Bylaite M, et al. Long-term emollient therapy improves xerosis in children with atopic dermatitis. *Journal of the European Academy of Dermatology and Venereology*. 2014;28; 1456-1462.
- [29] Eberlein B, Eicke C, Reinhardt HW, Ring J. Adjuvant treatment of atopic eczema: assessment of an emollient containing N-palmitoylethanolamine (ATOPA study). *J Eur Acad Dermatol Venereol*. 2008;22; 73-82.
- [30] Wilhelm I K-P, Schölermann A, Bohnsack K, Wilhelm D, Rippke F. Wirksamkeit und Verträglichkeit einer topischen Zubereitung mit 10% Urea (Laceran® Salbe 10% Urea) bei Neurodermitis. *Aktuelle Dermatologie*. 1998;24; 26-30.
- [31] Loden M, Andersson AC, Anderson C, Bergbrant IM, Frodin T, Ohman H, et al. A double-blind study comparing the effect of glycerin and urea on dry, eczematous skin in atopic patients. *Acta Derm Venereol*. 2002;82; 45-47.
- [32] Darsow U, Lübke J, Täieb A, Seidenari S, Wollenberg A, Calza AM, et al. Position paper on diagnosis and treatment of atopic dermatitis. *J Eur Acad Dermatol Venereol*. 2005;19; 286-295.
- [33] Wollenberg A, Barbarot S, Bieber T, Christen-Zaech S, Deleuran M, Fink-Wagner A, et al. Consensus-based European guidelines for treatment of atopic eczema (atopic dermatitis) in adults and children: part I. *J Eur Acad Dermatol Venereol*. 2018;32; 657-682.
- [34] van Zuuren EJ, Fedorowicz Z, Christensen R, Lavrijsen A, Arents BWM. Emollients and moisturisers for eczema. *Cochrane Database Syst Rev*. 2017;2; CD012119.
- [35] Schram ME, Spuls PI, Leeflang MM, Lindeboom R, Bos JD, Schmitt J. EASI, (objective) SCORAD and POEM for atopic eczema: responsiveness and minimal clinically important difference. *Allergy*. 2012;67; 99-106.
- [36] Akerstrom U, Reitamo S, Langeland T, Berg M, Rustad L, Korhonen L, et al. Comparison of Moisturizing Creams for the Prevention of Atopic Dermatitis Relapse: A Randomized Double-blind Controlled Multicentre Clinical Trial. *Acta Derm Venereol*. 2015;95; 587-592.
- [37] Chiang C, Eichenfield LF. Quantitative assessment of combination bathing and moisturizing regimens on skin hydration in atopic dermatitis. *Pediatr Dermatol*. 2009;26; 273-278.
- [38] Dinkloh A, Worm M, Geier J, Schnuch A, Wollenberg A. Contact sensitization in patients with suspected cosmetic intolerance: results of the IVDK 2006-2011. *J Eur Acad Dermatol Venereol*. 2015;29; 1071-1081.

- [39] Mengeaud V, Phulpin C, Bacquey A, Boralevi F, Schmitt AM, Taieb A. An innovative oat-based sterile emollient cream in the maintenance therapy of childhood atopic dermatitis. *Pediatr Dermatol.* 2015;32; 208-215.
- [40] Angelova-Fischer I, Rippke F, Richter D, Filbry A, Arrowitz C, Weber T, et al. Stand-alone Emollient Treatment Reduces Flares After Discontinuation of Topical Steroid Treatment in Atopic Dermatitis: A Double-blind, Randomized, Vehicle-controlled, Left-right Comparison Study. *Acta Derm Venereol.* 2018;98; 517-523.
- [41] Wollenberg A, Barbarot S, Bieber T, Christen-Zaech S, Deleuran M, Fink-Wagner A, et al. Consensus-based European guidelines for treatment of atopic eczema (atopic dermatitis) in adults and children: part I. *J Eur Acad Dermatol Venereol.* 2018;32; 657-682.
- [42] Wollenberg A, Barbarot S, Bieber T, Christen-Zaech S, Deleuran M, Fink-Wagner A, et al. Consensus-based European guidelines for treatment of atopic eczema (atopic dermatitis) in adults and children: part II. *J Eur Acad Dermatol Venereol.* 2018;32; 850-878.
- [43] National Institute for Health and Care Excellence. NICE pathways: Eczema. 2020. <https://pathways.nice.org.uk/pathways/eczema>
- [44] Hlela C, Lunjani N, Gumede F, Kakande B, Khumalo NP. Affordable moisturisers are effective in atopic eczema: A randomised controlled trial. *S Afr Med J.* 2015;105; 780-784.
- [45] Mandeau A, Aries MF, Boe JF, Brenk M, Crebassa-Trigueros V, Vaissiere C, et al. Rhealba(R) oat plantlet extract: evidence of protein-free content and assessment of regulatory activity on immune inflammatory mediators. *Planta Med.* 2011;77; 900-906.
- [46] Gueniche A, Knautd B, Schuck E, Volz T, Bastien P, Martin R, et al. Effects of nonpathogenic gram-negative bacterium *Vitreoscilla filiformis* lysate on atopic dermatitis: a prospective, randomized, double-blind, placebo-controlled clinical study. *Br J Dermatol.* 2008;159; 1357-1363.
- [47] Aries MF, Hernandez-Pigeon H, Vaissiere C, Delga H, Caruana A, Leveque M, et al. Anti-inflammatory and immunomodulatory effects of *Aquaphilus dolomiae* extract on in vitro models. *Clin Cosmet Investig Dermatol.* 2016;9; 421-434.
- [48] Bamford JT, Ray S, Musekiwa A, van Gool C, Humphreys R, Ernst E. Oral evening primrose oil and borage oil for eczema. *Cochrane Database Syst Rev.* 2013;2013; Cd004416.
- [49] Gehring W, Bopp R, Rippke F, Gloor M. Effect of topically applied evening primrose oil on epidermal barrier function in atopic dermatitis as a function of vehicle. *Arzneimittelforschung.* 1999;49; 635-642.
- [50] Simpson EL, Chalmers JR, Hanifin JM, Thomas KS, Cork MJ, McLean WH, et al. Emollient enhancement of the skin barrier from birth offers effective atopic dermatitis prevention. *J Allergy Clin Immunol.* 2014;134; 818-823.
- [51] Horimukai K, Morita K, Narita M, Kondo M, Kitazawa H, Nozaki M, et al. Application of moisturizer to neonates prevents development of atopic dermatitis. *J Allergy Clin Immunol.* 2014;134; 824-830 e826.
- [52] Chalmers JR, Haines RH, Bradshaw LE, Montgomery AA, Thomas KS, Brown SJ, et al. Daily emollient during infancy for prevention of eczema: the BEEP randomised controlled trial. *Lancet.* 2020;395; 962-972.
- [53] Skjerven HO, Rehbinder EM, Vettukattil R, LeBlanc M, Granum B, Haugen G, et al. Skin emollient and early complementary feeding to prevent infant atopic dermatitis (PreventADALL): a factorial, multicentre, cluster-randomised trial. *Lancet.* 2020;395; 951-961.
- [54] Wollenberg A, Wetzel S, Burgdorf WH, Haas J. Viral infections in atopic dermatitis: pathogenic aspects and clinical management. *J Allergy Clin Immunol.* 2003;112; 667-674.
- [55] Fonacier LS, Aquino MR. The role of contact allergy in atopic dermatitis. *Immunol Allergy Clin North Am.* 2010;30; 337-350.
- [56] Thyssen JP, Linneberg A, Engkilde K, Menne T, Johansen JD. Contact sensitization to common haptens is associated with atopic dermatitis: new insight. *Br J Dermatol.* 2012;166; 1255-1261.
- [57] Misery L, Belloni Fortina A, El Hachem M, Chernyshov P, von Kobyletzki L, Heratizadeh A, et al. A position paper on the management of itch and pain in atopic dermatitis from the International

Society of Atopic Dermatitis (ISAD)/Oriented Patient-Education Network in Dermatology (OPENED) task force. *J Eur Acad Dermatol Venereol.* 2021;35; 787-796.

[58] Ring J, Mohrenschlager M. Allergy to peanut oil--clinically relevant? *J Eur Acad Dermatol Venereol.* 2007;21; 452-455.

[59] Uehara M, Takada K. Use of soap in the management of atopic dermatitis. *Clin Exp Dermatol.* 1985;10; 419-425.

[60] Blume-Peytavi U, Cork MJ, Faergemann J, Szczapa J, Vanaclocha F, Gelmetti C. Bathing and cleansing in newborns from day 1 to first year of life: recommendations from a European round table meeting. *J Eur Acad Dermatol Venereol.* 2009;23; 751-759.

[61] Koutroulis I, Pyle T, Kopylov D, Little A, Gaughan J, Kratimenos P. The Association Between Bathing Habits and Severity of Atopic Dermatitis in Children. *Clin Pediatr (Phila).* 2016;55; 176-181.

[62] Denda M, Sokabe T, Fukumi-Tominaga T, Tominaga M. Effects of skin surface temperature on epidermal permeability barrier homeostasis. *J Invest Dermatol.* 2007;127; 654-659.

[63] Hua T, Yousaf M, Gwillim E, Yew YW, Lee B, Hua K, et al. Does daily bathing or showering worsen atopic dermatitis severity? A systematic review and meta-analysis. *Arch Dermatol Res.* 2020.

[64] Ring J, Alomar A, Bieber T, Deleuran M, Fink-Wagner A, Gelmetti C, et al. Guidelines for treatment of atopic eczema (atopic dermatitis) Part II. *J Eur Acad Dermatol Venereol.* 2012;26; 1176-1193.

[65] Koutroulis I, Petrova K, Kratimenos P, Gaughan J. Frequency of bathing in the management of atopic dermatitis: to bathe or not to bathe? *Clin Pediatr (Phila).* 2014;53; 677-681.

[66] Santer M, Ridd MJ, Francis NA, Stuart B, Rumsby K, Chorozioglou M, et al. Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. *BMJ.* 2018;361; k1332.

[67] Maarouf M, Hendricks AJ, Shi VY. Bathing Additives for Atopic Dermatitis - A Systematic Review. *Dermatitis.* 2019;30; 191-197.

[68] Ludwig G. On the topical effect of sea water tub-baths with and without addition of an oil emulsion. *Zeitschrift fur Haut-und Geschlechtskrankheiten.* 1968;43; 683-688.

[69] Dittmar HC, Pflieger D, Schempp CM, Schopf E, Simon JC. [Comparison of balneophototherapy and UVA/B mono-phototherapy in patients with subacute atopic dermatitis]. *Hautarzt.* 1999;50; 649-653.

[70] Wollenberg A, Oranje A, Deleuran M, Simon D, Szalai Z, Kunz B, et al. ETFAD/EADV Eczema task force 2015 position paper on diagnosis and treatment of atopic dermatitis in adult and paediatric patients. *J Eur Acad Dermatol Venereol.* 2016;30; 729-747.

[71] Wollenberg A, Frank R, Kroth J, et al. Proactive therapy of atopic eczema – an evidence-based concept with a behavioral background. *J Dtsch Dermatol Ges* 2009. 2009;7; 117–121.

[72] Wollenberg A, Ehmann LM. Long term treatment concepts and proactive therapy for atopic eczema. *Annals of dermatology.* 2012;24; 253-260.

[73] Schnopp C, Holtmann C, Stock S, Remling R, Folster-Holst R, Ring J, et al. Topical steroids under wet-wrap dressings in atopic dermatitis--a vehicle-controlled trial. *Dermatology.* 2002;204; 56-59.

[74] Gonzalez-Lopez G, Ceballos-Rodriguez RM, Gonzalez-Lopez JJ, Feito Rodriguez M, Herranz-Pinto P. Efficacy and safety of wet wrap therapy for patients with atopic dermatitis: a systematic review and meta-analysis. *Br J Dermatol.* 2016.

[75] Kohn LL, Kang Y, Antaya RJ. A randomized, controlled trial comparing topical steroid application to wet versus dry skin in children with atopic dermatitis (AD). *Journal of the American Academy of Dermatology.* 2016;75; 306-311.

[76] Janmohamed SR, Oranje AP, Devillers AC, Rizopoulos D, van Praag MC, Van Gysel D, et al. The proactive wet-wrap method with diluted corticosteroids versus emollients in children with atopic dermatitis: A prospective, randomized, double-blind, placebo-controlled trial. *Journal of the American Academy of Dermatology.* 2014.

- [77] Cadmus SD, Sebastian KR, Warren D, Hovinga CA, Croce EA, Reveles LA, et al. Efficacy and patient opinion of wet-wrap dressings using 0.1% triamcinolone acetonide ointment vs cream in the treatment of pediatric atopic dermatitis: A randomized split-body control study. *Pediatric Dermatology*. 2019;36; 437-441.
- [78] Hanifin J, Gupta AK, Rajagopalan R. Intermittent dosing of fluticasone propionate cream for reducing the risk of relapse in atopic dermatitis patients. *Br J Dermatol*. 2002;147; 528-537.
- [79] Berth-Jones J, Damstra RJ, Golsch S, Livden JK, Van Hooteghem O, Allegra F, et al. Twice weekly fluticasone propionate added to emollient maintenance treatment to reduce risk of relapse in atopic dermatitis: randomised, double blind, parallel group study. *BMJ*. 2003;326; 1367.
- [80] Niedner R. Therapie mit systemischen Glukokortikoiden. *Hautarzt*. 2001;52; 1062-1071.
- [81] Barnes L, Kaya G, Rollason V. Topical corticosteroid-induced skin atrophy: a comprehensive review. *Drug Saf*. 2015;38; 493-509.
- [82] Van Der Meer JB, Glazenburg EJ, Mulder PG, Eggink HF, Coenraads PJ. The management of moderate to severe atopic dermatitis in adults with topical fluticasone propionate. The Netherlands Adult Atopic Dermatitis Study Group. *Br J Dermatol*. 1999;140; 1114-1121.
- [83] Walsh P, Aeling JL, Huff L, Weston WL. Hypothalamus-pituitary-adrenal axis suppression by superpotent topical steroids. *Journal of the American Academy of Dermatology*. 1993;29; 501-503.
- [84] Davallow Ghajar L, Wood Heickman LK, Conaway M, Rogol AD. Low Risk of Adrenal Insufficiency After Use of Low- to Moderate-Potency Topical Corticosteroids for Children With Atopic Dermatitis. *Clinical Pediatrics*. 2019;58; 406-412.
- [85] Fishbein AB, Mueller K, Lor J, Smith P, Paller AS, Kaat A. Systematic Review and Meta-analysis Comparing Topical Corticosteroids With Vehicle/Moisturizer in Childhood Atopic Dermatitis. *Journal of Pediatric Nursing*. 2019;47; 36-43.
- [86] Hengge UR. Topical Corticosteroids. In: Gaspari AA, Tying SK, editors. *Clinical and Basic Immunodermatology*. London. Springer London, 2008. 561-577.
- [87] Draelos ZD, Feldman SR, Berman B, Olivadoti M, Sierka D, Tallman AM, et al. Tolerability of Topical Treatments for Atopic Dermatitis. *Dermatology and Therapy*. 2019;9; 71-102.
- [88] Siklar Z, Bostanci I, Atli O, Dallar Y. An infantile Cushing syndrome due to misuse of topical steroid. *Pediatr Dermatol*. 2004;21; 561-563.
- [89] Haeck IM, Rouwen TJ, Timmer-de Mik L, de Bruin-Weller MS, Bruijnzeel-Koomen CA. Topical corticosteroids in atopic dermatitis and the risk of glaucoma and cataracts. *Journal of the American Academy of Dermatology*. 2011;64; 275-281.
- [90] Chan HH, Salmon JF. Glaucoma caused by topical corticosteroid application to the eyelids. *Medical Journal of Australia*. 2019;210; 152-153.e151.
- [91] Sahni D, Darley CR, Hawk JLM. Glaucoma induced by periorbital topical steroid use – a rare complication. *Clinical and Experimental Dermatology*. 2004;29; 617-619.
- [92] Hajar T, Leshem YA, Hanifin JM, Nedorost ST, Lio PA, Paller AS, et al. A systematic review of topical corticosteroid withdrawal ("steroid addiction") in patients with atopic dermatitis and other dermatoses. *Journal of the American Academy of Dermatology*. 2015;72; 541-549 e542.
- [93] Queille C, Pommarede R, Saurat JH. Efficacy versus systemic effects of six topical steroids in the treatment of atopic dermatitis of childhood. *Pediatr Dermatol*. 1984;1; 246-253.
- [94] Charman C, Williams H. The use of corticosteroids and corticosteroid phobia in atopic dermatitis. *Clinics in dermatology*. 2003;21; 193-200.
- [95] Meurer M, Eichenfield LF, Ho V, Potter PC, Werfel T, Hultsch T. Addition of pimecrolimus cream 1% to a topical corticosteroid treatment regimen in paediatric patients with severe atopic dermatitis: a randomized, double-blind trial. *J Dermatolog Treat*. 2010;21; 157-166.
- [96] Stalder JF, Aubert H, Anthoine E, Futamura M, Marcoux D, Morren MA, et al. Topical corticosteroid phobia in atopic dermatitis: International feasibility study of the TOPICOP score. *Allergy*. 2017;72; 1713-1719.

- [97] Aubert-Wastiaux H, Moret L, Le Rhun A, Fontenoy AM, Nguyen JM, Leux C, et al. Topical corticosteroid phobia in atopic dermatitis: a study of its nature, origins and frequency. *Br J Dermatol*. 2011;165; 808-814.
- [98] Lee JY, Her Y, Kim CW, Kim SS. Topical Corticosteroid Phobia among Parents of Children with Atopic Eczema in Korea. *Annals of dermatology*. 2015;27; 499-506.
- [99] Müller SM, Tomaschett D, Euler S, Vogt DR, Herzog L, Itin P. Topical Corticosteroid Concerns in Dermatological Outpatients: A Cross-Sectional and Interventional Study. *Dermatology*. 2016;232; 444-452.
- [100] Carr WW. Topical calcineurin inhibitors for atopic dermatitis: review and treatment recommendations. *Paediatr Drugs*. 2013;15; 303-310.
- [101] Norris DA. Mechanisms of action of topical therapies and the rationale for combination therapy. *Journal of the American Academy of Dermatology*. 2005;53; S17-S25.
- [102] Ruzicka T, Bieber T, Schöpf E, Rubins A, Dobozy A, Bos J, et al. A short-term trial of tacrolimus ointment for atopic dermatitis. *N Engl J Med*. 1997;337; 816-821.
- [103] Van Leent EJ, Graber M, Thurston M, Wagenaar A, Spuls PI, Bos JD. Effectiveness of the ascomycin macrolactam SDZ ASM 981 in the topical treatment of atopic dermatitis. *Arch Dermatol*. 1998;134; 805-809.
- [104] Reitamo S, Wollenberg A, Schopf E, Perrot JL, Marks R, Ruzicka T, et al. Safety and efficacy of 1 year of tacrolimus ointment monotherapy in adults with atopic dermatitis. The European Tacrolimus Ointment Study Group. *Arch Dermatol*. 2000;136; 999-1006.
- [105] Meurer M, Folster-Holst R, Wozel G, Weidinger G, Junger M, Brautigam M, et al. Pimecrolimus cream in the long-term management of atopic dermatitis in adults: a six-month study. *Dermatology*. 2002;205; 271-277.
- [106] Reitamo S, Van Leent EJ, Ho V, Harper J, Ruzicka T, Kalimo K, et al. Efficacy and safety of tacrolimus ointment compared with that of hydrocortisone acetate ointment in children with atopic dermatitis. *J Allergy Clin Immunol*. 2002;109; 539-546.
- [107] Cury Martins J, Martins C, Aoki V, Gois AF, Ishii HA, da Silva EM. Topical tacrolimus for atopic dermatitis. *Cochrane Database Syst Rev*. 2015; CD009864.
- [108] Chen SL, Yan J, Wang FS. Two topical calcineurin inhibitors for the treatment of atopic dermatitis in pediatric patients: a meta-analysis of randomized clinical trials. *J Dermatolog Treat*. 2010;21; 144-156.
- [109] Wollenberg A, Reitamo S, Atzori F, Lahfa M, Ruzicka T, Healy E, et al. Proactive treatment of atopic dermatitis in adults with 0.1% tacrolimus ointment. *Allergy*. 2008;63; 742-750.
- [110] Thaci D, Reitamo S, Gonzalez Ensenat MA, Moss C, Boccaletti V, Cainelli T, et al. Proactive disease management with 0.03% tacrolimus ointment for children with atopic dermatitis: results of a randomized, multicentre, comparative study. *Br J Dermatol*. 2008;159; 1348-1356.
- [111] Ho VC, Gupta A, Kaufmann R, Todd G, Vanaclocha F, Takaoka R, et al. Safety and efficacy of nonsteroid pimecrolimus cream 1% in the treatment of atopic dermatitis in infants. *J Pediatr*. 2003;142; 155-162.
- [112] Eichenfield LF, Lucky AW, Boguniewicz M, Langley RG, Cherill R, Marshall K, et al. Safety and efficacy of pimecrolimus (ASM 981) cream 1% in the treatment of mild and moderate atopic dermatitis in children and adolescents. *Journal of the American Academy of Dermatology*. 2002;46; 495-504.
- [113] Patel RR, Vander Straten MR, Korman NJ. The safety and efficacy of tacrolimus therapy in patients younger than 2 years with atopic dermatitis. *Arch Dermatol*. 2003;139; 1184-1186.
- [114] Reitamo S, Mandelin J, Rubins A, Remitz A, Makela M, Cirule K, et al. The pharmacokinetics of tacrolimus after first and repeated dosing with 0.03% ointment in infants with atopic dermatitis. *International journal of dermatology*. 2009;48; 348-355.
- [115] Abędź N, Pawliczak R. Efficacy and safety of topical calcineurin inhibitors for the treatment of atopic dermatitis: meta-analysis of randomized clinical trials. *Postepy dermatologii i alergologii*. 2019;36; 752-759.

- [116] Reitamo S, Rustin M, Harper J, Kalimo K, Rubins A, Cambazard F, et al. A 4-year follow-up study of atopic dermatitis therapy with 0.1% tacrolimus ointment in children and adult patients. *Br J Dermatol*. 2008;159; 942-951.
- [117] Sigurgeirsson B, Boznanski A, Todd G, Vertruyen A, Schuttelaar ML, Zhu X, et al. Safety and efficacy of pimecrolimus in atopic dermatitis: a 5-year randomized trial. *Pediatrics*. 2015;135; 597-606.
- [118] Reitamo S, Rissanen J, Remitz A, Granlund H, Erkkö P, Elg P, et al. Tacrolimus ointment does not affect collagen synthesis: Results of a single-center randomized trial. *J Invest Dermatol*. 1998;111; 396-398.
- [119] Queille-Roussel C, Paul C, Duteil L, Lefebvre MC, Rapatz G, Zagula M, et al. The new topical ascomycin derivative SDZ ASM 981 does not induce skin atrophy when applied to normal skin for 4 weeks: a randomized, double-blind controlled study. *Br J Dermatol*. 2001;144; 507-513.
- [120] Hong CH, Gooderham M, Bissonnette R. Evidence Review of Topical Calcineurin Inhibitors for the Treatment of Adult Atopic Dermatitis. *Journal of cutaneous medicine and surgery*. 2019;23; 5s-10s.
- [121] Mandelin JM, Remitz A, Virtanen HM, Malmberg LP, Haahtela T, Reitamo S. A 10-year open follow-up of eczema and respiratory symptoms in patients with atopic dermatitis treated with topical tacrolimus for the first 4 years. *J Dermatolog Treat*. 2010;21; 167-170.
- [122] Lubbe J. Secondary infections in patients with atopic dermatitis. *American journal of clinical dermatology*. 2003;4; 641-654.
- [123] Wetzel S, Wollenberg A. Eczema molluscatum in tacrolimus treated atopic dermatitis. *Eur J Dermatol*. 2004;14; 73-74.
- [124] Wahn U, Bos JD, Goodfield M, Caputo R, Papp K, Manjra A, et al. Efficacy and safety of pimecrolimus cream in the long-term management of atopic dermatitis in children. *Pediatrics*. 2002;110; e2.
- [125] Bornhovd E, Wollenberg A. Topische Immunmodulatoren zur Ekzembehandlung. *Allergo J* 2003;12; 456-462.
- [126] Reitamo S, Ortonne JP, Sand C, Cambazard F, Bieber T, Folster-Holst R, et al. A multicentre, randomized, double-blind, controlled study of long-term treatment with 0.1% tacrolimus ointment in adults with moderate to severe atopic dermatitis. *Br J Dermatol*. 2005;152; 1282-1289.
- [127] Ohtsuki M, Morimoto H, Nakagawa H. Tacrolimus ointment for the treatment of adult and pediatric atopic dermatitis: Review on safety and benefits. *The Journal of Dermatology*. 2018;45; 936-942.
- [128] Paller AS, Fölster-Holst R, Chen SC, Diepgen TL, Elmets C, Margolis DJ, et al. No evidence of increased cancer incidence in children using topical tacrolimus for atopic dermatitis. *Journal of the American Academy of Dermatology*. 2020.
- [129] Ring J, Barker J, Behrendt H, Braathen L, Darsow U, Dubertret L, et al. Review of the potential photo-carcinogenicity of topical calcineurin inhibitors: position statement of the European Dermatology Forum. *J Eur Acad Dermatol Venereol*. 2005;19; 663-671.
- [130] Margolis DJ, Hoffstad O, Bilker W. Lack of association between exposure to topical calcineurin inhibitors and skin cancer in adults. *Dermatology*. 2007;214; 289-295.
- [131] Thaci D, Salgo R. Malignancy concerns of topical calcineurin inhibitors for atopic dermatitis: facts and controversies. *Clinics in dermatology*. 2010;28; 52-56.
- [132] Margolis DJ, Abuabara K, Hoffstad OJ, Wan J, Raimondo D, Bilker WB. Association Between Malignancy and Topical Use of Pimecrolimus. *JAMA Dermatol*. 2015;151; 594-599.
- [133] Deleuran M, Vestergaard C, Vølund A, Thestrup-Pedersen K. Topical Calcineurin Inhibitors, Topical Glucocorticoids and Cancer in Children: A Nationwide Study. *Acta Derm Venereol*. 2016 96; 834-835.
- [134] Asgari MM, Tsai AL, Avalos L, Sokil M, Quesenberry CP, Jr. Association Between Topical Calcineurin Inhibitor Use and Keratinocyte Carcinoma Risk Among Adults With Atopic Dermatitis. *JAMA Dermatol*. 2020.

- [135] Castellsague J, Kuiper JG, Pottegard A, Anveden Berglind I, Dedman D, Gutierrez L, et al. A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation - JOELLE study). *Clinical epidemiology*. 2018;10; 299-310.
- [136] Czarnecka-Operacz M, Jenerowicz D. Topical calcineurin inhibitors in the treatment of atopic dermatitis – an update on safety issues. 2012;10; 167-172.
- [137] Vestergaard C, Wollenberg A, Barbarot S, Christen-Zaech S, Deleuran M, Spuls P, et al. European task force on atopic dermatitis position paper: treatment of parental atopic dermatitis during preconception, pregnancy and lactation period. *J Eur Acad Dermatol Venereol*. 2019;33; 1644-1659.
- [138] McDowell L, Olin B. Crisaborole: A Novel Nonsteroidal Topical Treatment for Atopic Dermatitis. 2019;35; 172-178.
- [139] Bissonnette R, Pavel AB, Diaz A, Werth JL, Zang C, Vranic I, et al. Crisaborole and atopic dermatitis skin biomarkers: An inpatient randomized trial. *J Allergy Clin Immunol*. 2019;144; 1274-1289.
- [140] Zebda R, Paller AS. Phosphodiesterase 4 inhibitors. *Journal of the American Academy of Dermatology*. 2018;78; S43-S52.
- [141] Yosipovitch G, Gold LF, Lebwohl MG, Silverberg JI, Tallman AM, Zane LT. Early Relief of Pruritus in Atopic Dermatitis with Crisaborole Ointment, A Non-steroidal, Phosphodiesterase 4 Inhibitor. *Acta Derm Venereol*. 2018;98; 484-489.
- [142] Fahrback K, Tarpey J, Washington EB, Hughes R, Thom H, Neary MP, et al. Crisaborole Ointment, 2%, for Treatment of Patients with Mild-to-Moderate Atopic Dermatitis: Systematic Literature Review and Network Meta-Analysis. *Dermatol Ther (Heidelb)*. 2020.
- [143] Paller AS, Tom WL, Lebwohl MG, Blumenthal RL, Boguniewicz M, Call RS, et al. Efficacy and safety of crisaborole ointment, a novel, nonsteroidal phosphodiesterase 4 (PDE4) inhibitor for the topical treatment of atopic dermatitis (AD) in children and adults. *Journal of the American Academy of Dermatology*. 2016;75; 494-503.e496.
- [144] Eichenfield LF, Call RS, Forsha DW, Fowler J, Jr., Hebert AA, Spellman M, et al. Long-term safety of crisaborole ointment 2% in children and adults with mild to moderate atopic dermatitis. *Journal of the American Academy of Dermatology*. 2017;77; 641-649.e645.
- [145] Hanifin JM, Ellis CN, Frieden IJ, Fölster-Holst R, Stein Gold LF, Secci A, et al. OPA-15406, a novel, topical, nonsteroidal, selective phosphodiesterase-4 (PDE4) inhibitor, in the treatment of adult and adolescent patients with mild to moderate atopic dermatitis (AD): A phase-II randomized, double-blind, placebo-controlled study. *Journal of the American Academy of Dermatology*. 2016;75; 297-305.
- [146] Ohba F, Matsuki S, Imayama S, Matsuguma K, Hojo S, Nomoto M, et al. Efficacy of a novel phosphodiesterase inhibitor, E6005, in patients with atopic dermatitis: An investigator-blinded, vehicle-controlled study. *J Dermatolog Treat*. 2016;27; 467-472.
- [147] Diaz A, Guttman-Yassky E. Topical agents for the treatment of atopic dermatitis. *Expert review of clinical immunology*. 2019;15; 369-382.
- [148] Bissonnette R, Papp KA, Poulin Y, Gooderham M, Raman M, Mallbris L, et al. Topical tofacitinib for atopic dermatitis: a phase IIa randomized trial. 2016;175; 902-911.
- [149] Nakagawa H, Nemoto O, Igarashi A, Nagata T. Efficacy and safety of topical JTE-052, a Janus kinase inhibitor, in Japanese adult patients with moderate-to-severe atopic dermatitis: a phase II, multicentre, randomized, vehicle-controlled clinical study. *British Journal of Dermatology*. 2018;178; 424-432.
- [150] Kim BS, Howell MD, Sun K, Papp K, Nasir A, Kuligowski ME. Treatment of atopic dermatitis with ruxolitinib cream (JAK1/JAK2 inhibitor) or triamcinolone cream. *Journal of Allergy and Clinical Immunology*. 2020;145; 572-582.

- [151] Peppers J, Paller AS, Maeda-Chubachi T, Wu S, Robbins K, Gallagher K, et al. A phase 2, randomized dose-finding study of tapinarof (GSK2894512 cream) for the treatment of atopic dermatitis. *Journal of the American Academy of Dermatology*. 2019;80; 89-98.e83.
- [152] Lee YW, Won C-H, Jung K, Nam H-J, Choi G, Park Y-H, et al. Efficacy and safety of PAC-14028 cream – a novel, topical, nonsteroidal, selective TRPV1 antagonist in patients with mild-to-moderate atopic dermatitis: a phase IIb randomized trial. *British Journal of Dermatology*. 2019;180; 1030-1038.
- [153] Totté JE, van der Feltz WT, Hennekam M, van Belkum A, van Zuuren EJ, Pasmans SG. Prevalence and odds of *Staphylococcus aureus* carriage in atopic dermatitis: a systematic review and meta-analysis. *Br J Dermatol*. 2016;175; 687-695.
- [154] Alexander H, Paller AS, Traidl-Hoffmann C, Beck LA, De Benedetto A, Dhar S, et al. The role of bacterial skin infections in atopic dermatitis: expert statement and review from the International Eczema Council Skin Infection Group. *Br J Dermatol*. 2020;182; 1331-1342.
- [155] Cornelissen C, Marquardt Y, Czaja K, Wenzel J, Frank J, Luscher-Firzlaff J, et al. IL-31 regulates differentiation and filaggrin expression in human organotypic skin models. *J Allergy Clin Immunol*. 2012;129; 426-433, 433.e421-428.
- [156] Schlievert PM, Case LC, Strandberg KL, Abrams BB, Leung DYM. Superantigen profile of *Staphylococcus aureus* isolates from patients with steroid-resistant atopic dermatitis. *Clin Infect Dis*. 2008;46; 1562-1567.
- [157] George SM, Karanovic S, Harrison DA, Rani A, Birnie AJ, Bath-Hextall FJ, et al. Interventions to reduce *Staphylococcus aureus* in the management of eczema. *Cochrane Database Syst Rev*. 2019;2019.
- [158] Sawada Y, Tong Y, Barangi M, Hata T, Williams MR, Nakatsuji T, et al. Dilute bleach baths used for treatment of atopic dermatitis are not antimicrobial in vitro. *J Allergy Clin Immunol*. 2019;143; 1946-1948.
- [159] Juenger M, Ladwig A, Staecker S, Arnold A, Kramer A, Daeschlein G, et al. Efficacy and safety of silver textile in the treatment of atopic dermatitis (AD). *Curr Med Res Opin*. 2006;22; 739-750.
- [160] Gauger A, Fischer S, Mempel M, Schaefer T, Foelster-Holst R, Abeck D, et al. Efficacy and functionality of silver-coated textiles in patients with atopic eczema. *J Eur Acad Dermatol Venereol*. 2006;20; 534-541.
- [161] Wollenberg A, Zoch C, Wetzel S, Plewig G, Przybilla B. Predisposing factors and clinical features of eczema herpeticum: a retrospective analysis of 100 cases. *Journal of the American Academy of Dermatology*. 2003;49; 198-205.
- [162] Seegräber M, Worm M, Werfel T, Svensson A, Novak N, Simon D, et al. Recurrent eczema herpeticum - a retrospective European multicenter study evaluating the clinical characteristics of eczema herpeticum cases in atopic dermatitis patients. *J Eur Acad Dermatol Venereol*. 2020;34; 1074-1079.
- [163] Ong PY, Leung DY. Bacterial and Viral Infections in Atopic Dermatitis: a Comprehensive Review. *Clin Rev Allergy Immunol*. 2016;51; 329-337.
- [164] Kreth HW, Hoeger PH. Safety, reactogenicity, and immunogenicity of live attenuated varicella vaccine in children between 1 and 9 years of age with atopic dermatitis. *Eur J Pediatr*. 2006;165; 677-683.
- [165] Schneider L, Weinberg A, Boguniewicz M, Taylor P, Oettgen H, Heughan L, et al. Immune response to varicella vaccine in children with atopic dermatitis compared with nonatopic controls. *The Journal of allergy and clinical immunology*. 2010;126; 1306-1307.e1302.
- [166] Osier E, Eichenfield L. The Utility of Cantharidin for the Treatment of Molluscum Contagiosum. *Pediatric dermatology*. 2015;32.
- [167] Rush J, Dinulos JG. Childhood skin and soft tissue infections: new discoveries and guidelines regarding the management of bacterial soft tissue infections, molluscum contagiosum, and warts. *Curr Opin Pediatr*. 2016;28; 250-257.
- [168] Wollenberg A, Engler R. Smallpox, vaccination and adverse reactions to smallpox vaccine. *Curr Opin Allergy Clin Immunol*. 2004;4; 271-275.

- [169] Reed JL, Scott DE, Bray M. Eczema vaccinatum. *Clin Infect Dis*. 2012;54: 832-840.
- [170] Darsow U, Sbornik M, Rombold S, Katzer K, von Sonnenburg F, Behrendt H, et al. Long-term safety of replication-defective smallpox vaccine (MVA-BN) in atopic eczema and allergic rhinitis. *J Eur Acad Dermatol Venereol*. 2016;30: 1971-1977.
- [171] Mathes EF, Oza V, Frieden IJ, Cordero KM, Yagi S, Howard R, et al. "Eczema coxsackium" and unusual cutaneous findings in an enterovirus outbreak. *Pediatrics*. 2013;132: e149-157.
- [172] Neri I, Dondi A, Wollenberg A, Ricci L, Ricci G, Piccirilli G, et al. Atypical Forms of Hand, Foot, and Mouth Disease: A Prospective Study of 47 Italian Children. *Pediatr Dermatol*. 2016;33: 429-437.
- [173] Lynch MD, Sears A, Cookson H, Lew T, Laftah Z, Orrin L, et al. Disseminated coxsackievirus A6 affecting children with atopic dermatitis. *Clinical and Experimental Dermatology*. 2015;40: 525-528.
- [174] Johnson VK, Hayman JL, McCarthy CA, Cardona ID. Successful treatment of eczema coxsackium with wet wrap therapy and low-dose topical corticosteroid. *J Allergy Clin Immunol Pract*. 2014;2: 803-804.
- [175] Sparber F, De Gregorio C, Steckholzer S, Ferreira FM, Dolowschiak T, Ruchti F, et al. The Skin Commensal Yeast *Malassezia* Triggers a Type 17 Response that Coordinates Anti-fungal Immunity and Exacerbates Skin Inflammation. *Cell Host Microbe*. 2019;25: 389-403.e386.
- [176] Thammahong A, Kiatsurayanon C, Edwards SW, Rerknimitr P, Chiewchengchol D. The clinical significance of fungi in atopic dermatitis. *International journal of dermatology*. 2020;59: 926-935.
- [177] Glatz M, Bosshard PP, Hoetzenecker W, Schmid-Grendelmeier P. The Role of *Malassezia* spp. in Atopic Dermatitis. *J Clin Med*. 2015;4: 1217-1228.
- [178] Kaffenberger BH, Mathis J, Zirwas MJ. A retrospective descriptive study of oral azole antifungal agents in patients with patch test-negative head and neck predominant atopic dermatitis. *Journal of the American Academy of Dermatology*. 2014;71: 480-483.
- [179] Svejgaard E, Larsen PO, Deleuran M, Ternowitz T, Roed-Petersen J, Nilsson J. Treatment of head and neck dermatitis comparing itraconazole 200 mg and 400 mg daily for 1 week with placebo. *J Eur Acad Dermatol Venereol*. 2004;18: 445-449.
- [180] Lorette G, Ermosilla V. Clinical efficacy of a new ciclopiroxolamine/zinc pyrithione shampoo in scalp seborrheic dermatitis treatment. *Eur J Dermatol*. 2006;16: 558-564.
- [181] Glatz M, Buchner M, Von Bartenwerffer W, Schmid-Grendelmeier P, Worm M, Hedderich J, et al. *Malassezia* spp.-specific immunoglobulin E level is a marker for severity of atopic dermatitis in adults. *Acta dermato-venereologica*. 2015;95: 191-196.
- [182] Kamata Y, Tominaga M, Takamori K. Itch in Atopic Dermatitis Management. *Curr Probl Dermatol*. 2016;50: 86-93.
- [183] Sher LG, Chang J, Patel IB, Balkrishnan R, Fleischer AB, Jr. Relieving the pruritus of atopic dermatitis: a meta-analysis. *Acta Derm Venereol*. 2012;92: 455-461.
- [184] Reszke R, Krajewski P, Szepietowski JC. Emerging Therapeutic Options for Chronic Pruritus. *American journal of clinical dermatology*. 2020;21: 601-618.
- [185] Simpson EL, Bieber T, Guttman-Yassky E, Beck LA, Blauvelt A, Cork MJ, et al. Two Phase 3 Trials of Dupilumab versus Placebo in Atopic Dermatitis. *N Engl J Med*. 2016;375: 2335-2348.
- [186] Silverberg JI, Yosipovitch G, Simpson EL, Kim BS, Wu JJ, Eckert L, et al. Dupilumab treatment results in early and sustained improvements in itch in adolescents and adults with moderate to severe atopic dermatitis: Analysis of the randomized phase 3 studies SOLO 1 and SOLO 2, AD ADOL, and CHRONOS. *Journal of the American Academy of Dermatology*. 2020;82: 1328-1336.
- [187] Agache I, Song Y, Posso M, Alonso-Coello P, Rocha C, Solà I, et al. Efficacy and safety of dupilumab for moderate-to-severe atopic dermatitis: A systematic review for the EAACI biologicals guidelines. *Allergy*. 2021;76: 45-58.
- [188] Worm M, Simpson EL, Thaçi D, Bissonnette R, Lacour JP, Beissert S, et al. Efficacy and Safety of Multiple Dupilumab Dose Regimens After Initial Successful Treatment in Patients With Atopic Dermatitis: A Randomized Clinical Trial. *JAMA Dermatol*. 2020;156: 131-143.
- [189] Wollenberg A, Blauvelt A, Guttman-Yassky E, Worm M, Lynde C, Lacour JP, et al. Tralokinumab for moderate-to-severe atopic dermatitis: results from two 52-week, randomized,

double-blind, multicentre, placebo-controlled phase III trials (ECZTRA 1 and ECZTRA 2). *Br J Dermatol.* 2021;184; 437-449.

[190] Simpson EL, Sinclair R, Forman S, Wollenberg A, Aschoff R, Cork M, et al. Efficacy and safety of abrocitinib in adults and adolescents with moderate-to-severe atopic dermatitis (JADE MONO-1): a multicentre, double-blind, randomised, placebo-controlled, phase 3 trial. *Lancet.* 2020;396; 255-266.

[191] Simpson EL, Lacour JP, Spelman L, Galimberti R, Eichenfield LF, Bissonnette R, et al. Baricitinib in patients with moderate-to-severe atopic dermatitis and inadequate response to topical corticosteroids: results from two randomized monotherapy phase III trials. *Br J Dermatol.* 2020;183; 242-255.

[192] Guttman-Yassky E, Teixeira HD, Simpson EL, Papp KA, Pangan AL, Blauvelt A, et al. Once-daily upadacitinib versus placebo in adolescents and adults with moderate-to-severe atopic dermatitis (Measure Up 1 and Measure Up 2): results from two replicate double-blind, randomised controlled phase 3 trials. *Lancet.* 2021;397; 2151-2168.

[193] Schommer A, Matthies C, Petersen I, Augustin M. Effektivität einer Polidocanol-Harnstoff-Kombination bei trockener, juckender Haut. *Aktuelle Dermatologie.* 2007;33; 33-38.

[194] Hauss H, Proppe A, Matthies C. Vergleichende Untersuchungen zur Behandlung von trockener, juckender Haut mit einer Zubereitung aus Harnstoff und Polidocanol sowie mit einer Linolsäure-haltigen Fettcreme. *Ergebnisse aus der Praxis. Derm Beruf Umwelt.* 1993;41; 184-188.

[195] Weisshaar E, Heyer G, Forster C, Handwerker HO. Effect of topical capsaicin on the cutaneous reactions and itching to histamine in atopic eczema compared to healthy skin. *Arch Dermatol Res.* 1998;290; 306-311.

[196] Reimann S, Luger T, Metze D. [Topical administration of capsaicin in dermatology for treatment of itching and pain]. *Hautarzt.* 2000;51; 164-172.

[197] Garritsen FM, Brouwer MW, Limpens J, Spuls PI. Photo(chemo)therapy in the management of atopic dermatitis: an updated systematic review with implications for practice and research. *Br J Dermatol.* 2014;170; 501-513.

[198] Jaworek A, Szafraniec K, Jaworek M, Matusiak Ł, Wojas-Pelc A, Szepietowski JC. Itch Relief in Atopic Dermatitis: Comparison of Narrowband Ultraviolet B Radiation and Cyclosporine Treatment. *Acta Derm Venereol.* 2020;100; adv00291.

[199] Doherty V, Sylvester DG, Kennedy CT, Harvey SG, Calthrop JG, Gibson JR. Treatment of itching in atopic eczema with antihistamines with a low sedative profile. *Bmj.* 1989;298; 96.

[200] Henz BM, Metzner P, O'Keefe E, Zuberbier T. Differential effects of new-generation H1-receptor antagonists in pruritic dermatoses. *Allergy.* 1998;53; 180-183.

[201] Langeland T, Fagertun HE, Larsen S. Therapeutic effect of loratadine on pruritus in patients with atopic dermatitis. A multi-crossover-designed study. *Allergy.* 1994;49; 22-26.

[202] La Rosa M, Ranno C, Musarra I, Guglielmo F, Corrias A, Bellanti JA. Double-blind study of cetirizine in atopic eczema in children. *Ann Allergy.* 1994;73; 117-122.

[203] Wahlgren CF, Hägermark O, Bergström R. The antipruritic effect of a sedative and a non-sedative antihistamine in atopic dermatitis. *Br J Dermatol.* 1990;122; 545-551.

[204] Munday J, Bloomfield R, Goldman M, Robey H, Kitowska GJ, Gwiedzinski Z, et al. Chlorpheniramine is no more effective than placebo in relieving the symptoms of childhood atopic dermatitis with a nocturnal itching and scratching component. *Dermatology.* 2002;205; 40-45.

[205] Hannuksela M, Kalimo K, Lammintausta K, Mattila T, Turjanmaa K, Varjonen E, et al. Dose ranging study: cetirizine in the treatment of atopic dermatitis in adults. *Ann Allergy.* 1993;70; 127-133.

[206] Chunharas A, Wisuthsarewong W, Wananukul S, Viravan S. Therapeutic efficacy and safety of loratadine syrup in childhood atopic dermatitis treated with mometasone furoate 0.1 per cent cream. *J Med Assoc Thai.* 2002;85; 482-487.

[207] Kawakami T, Kaminishi K, Soma Y, Kushimoto T, Mizoguchi M. Oral antihistamine therapy influences plasma tryptase levels in adult atopic dermatitis. *J Dermatol Sci.* 2006;43; 127-134.

- [208] Matterne U, Böhmer MM, Weisshaar E, Jupiter A, Carter B, Apfelbacher CJ. Oral H1 antihistamines as 'add-on' therapy to topical treatment for eczema. *Cochrane Database Syst Rev.* 2019;1; Cd012167.
- [209] Kawashima M, Tango T, Noguchi T, Inagi M, Nakagawa H, Harada S. Addition of fexofenadine to a topical corticosteroid reduces the pruritus associated with atopic dermatitis in a 1-week randomized, multicentre, double-blind, placebo-controlled, parallel-group study. *Br J Dermatol.* 2003;148; 1212-1221.
- [210] Simons FE. Safety of levocetirizine treatment in young atopic children: An 18-month study. *Pediatr Allergy Immunol.* 2007;18; 535-542.
- [211] Church MK, Maurer M, Simons FE, Bindslev-Jensen C, van Cauwenberge P, Bousquet J, et al. Risk of first-generation H(1)-antihistamines: a GA(2)LEN position paper. *Allergy.* 2010;65; 459-466.
- [212] Adam K, Oswald I. The hypnotic effects of an antihistamine: promethazine. *Br J Clin Pharmacol.* 1986;22; 715-717.
- [213] Monroe EW. Efficacy and safety of nalmefene in patients with severe pruritus caused by chronic urticaria and atopic dermatitis. *Journal of the American Academy of Dermatology.* 1989;21; 135-136.
- [214] Burch JR, Harrison PV. Opiates, sleep and itch. *Clin Exp Dermatol.* 1988;13; 418-419.
- [215] Banerji D, Fox R, Seleznick M, Lockey R. 337 Controlled antipruritic trial of nalmefene (N) in chronic urticaria (CU) and atopic dermatitis (AD). *Journal of Allergy and Clinical Immunology.* 1988;81; 252.
- [216] Metze D, Reimann S, Beissert S, Luger T. Efficacy and safety of naltrexone, an oral opiate receptor antagonist, in the treatment of pruritus in internal and dermatological diseases. *Journal of the American Academy of Dermatology.* 1999;41; 533-539.
- [217] Malekzad F, Arbabi M, Mohtasham N, Toosi P, Jaberian M, Mohajer M, et al. Efficacy of oral naltrexone on pruritus in atopic eczema: a double-blind, placebo-controlled study. *J Eur Acad Dermatol Venereol.* 2009;23; 948-950.
- [218] Ständer S, Böckenholt B, Schürmeyer-Horst F, Weishaupt C, Heuft G, Luger TA, et al. Treatment of chronic pruritus with the selective serotonin re-uptake inhibitors paroxetine and fluvoxamine: results of an open-labelled, two-arm proof-of-concept study. *Acta Derm Venereol.* 2009;89; 45-51.
- [219] Jekler J, Larko O. Combined UVA-UVB versus UVB phototherapy for atopic dermatitis: a paired-comparison study. *Journal of the American Academy of Dermatology.* 1990;22; 49-53.
- [220] Jekler J, Larko O. UVB phototherapy of atopic dermatitis. *Br J Dermatol.* 1988;119; 697-705.
- [221] Jekler J, Larko O. UVA solarium versus UVB phototherapy of atopic dermatitis: a paired-comparison study. *Br J Dermatol.* 1991;125; 569-572.
- [222] Jekler J, Larko O. Phototherapy for atopic dermatitis with ultraviolet A (UVA), low-dose UVB and combined UVA and UVB: two paired-comparison studies. *Photodermatol Photoimmunol Photomed.* 1991;8; 151-156.
- [223] Majoie IM, Oldhoff JM, van Weelden H, Laaper-Ertmann M, Bousema MT, Sigurdsson V, et al. Narrowband ultraviolet B and medium-dose ultraviolet A1 are equally effective in the treatment of moderate to severe atopic dermatitis. *Journal of the American Academy of Dermatology.* 2009;60; 77-84.
- [224] Der-Petrossian M, Seeber A, Honigsmann H, Tanew A. Half-side comparison study on the efficacy of 8-methoxypsoralen bath-PUVA versus narrow-band ultraviolet B phototherapy in patients with severe chronic atopic dermatitis. *Br J Dermatol.* 2000;142; 39-43.
- [225] Gambichler T, Othlinghaus N, Tomi NS, Holland-Letz T, Boms S, Skrygan M, et al. Medium-dose ultraviolet (UV) A1 vs. narrowband UVB phototherapy in atopic eczema: a randomized crossover study. *Br J Dermatol.* 2009;160; 652-658.
- [226] Legat FJ, Hofer A, Brabek E, Quehenberger F, Kerl H, Wolf P. Narrowband UV-B vs medium-dose UV-A1 phototherapy in chronic atopic dermatitis. *Arch Dermatol.* 2003;139; 223-224.

- [227] Reynolds NJ, Franklin V, Gray JC, Diffey BL, Farr PM. Narrow-band ultraviolet B and broad-band ultraviolet A phototherapy in adult atopic eczema: a randomised controlled trial. *Lancet*. 2001;357; 2012-2016.
- [228] Heinlin J, Schiffner-Rohe J, Schiffner R, Einsele-Kramer B, Landthaler M, Klein A, et al. A first prospective randomized controlled trial on the efficacy and safety of synchronous balneophototherapy vs. narrow-band UVB monotherapy for atopic dermatitis. *J Eur Acad Dermatol Venereol*. 2011;25; 765-773.
- [229] Tzaneva S, Seeber A, Schwaiger M, Honigsmann H, Tanew A. High-dose versus medium-dose UVA1 phototherapy for patients with severe generalized atopic dermatitis. *Journal of the American Academy of Dermatology*. 2001;45; 503-507.
- [230] Dittmar HC, Pflieger D, Schopf E, Simon JC. [UVA1 phototherapy. Pilot study of dose finding in acute exacerbated atopic dermatitis]. *Hautarzt*. 2001;52; 423-427.
- [231] Krutmann J, Czech W, Diepgen T, Niedner R, Kapp A, Schopf E. High-dose UVA1 therapy in the treatment of patients with atopic dermatitis. *Journal of the American Academy of Dermatology*. 1992;26; 225-230.
- [232] Krutmann J, Diepgen TL, Luger TA, Grabbe S, Meffert H, Sonnichsen N, et al. High-dose UVA1 therapy for atopic dermatitis: results of a multicenter trial. *Journal of the American Academy of Dermatology*. 1998;38; 589-593.
- [233] Tzaneva S, Kittler H, Holzer G, Reljic D, Weber M, Honigsmann H, et al. 5-Methoxypsoralen plus ultraviolet (UV) A is superior to medium-dose UVA1 in the treatment of severe atopic dermatitis: a randomized crossover trial. *Br J Dermatol*. 2010;162; 655-660.
- [234] von Kobyletzki G, Pieck C, Hoffmann K, Freitag M, Altmeyer P. Medium-dose UVA1 cold-light phototherapy in the treatment of severe atopic dermatitis. *Journal of the American Academy of Dermatology*. 1999;41; 931-937.
- [235] Granlund H, Erkkö P, Remitz A, Langeland T, Helsing P, Nuutinen M, et al. Comparison of cyclosporin and UVAB phototherapy for intermittent one-year treatment of atopic dermatitis. *Acta Derm Venereol*. 2001;81; 22-27.
- [236] Valkova S, Velkova A. UVA/UVB phototherapy for atopic dermatitis revisited. *J Dermatolog Treat*. 2004;15; 239-244.
- [237] Byun HJ, Lee HI, Kim B, Kim MN, Hong H, Choi Y, et al. Full-spectrum light phototherapy for atopic dermatitis. *International journal of dermatology*. 2011;50; 94-101.
- [238] Qayyum S, Asad F, Agrawal R, Khurshid K, Rani Z, Pal SS. Comparison of efficacy and safety of ultraviolet A radiation versus ultraviolet B radiation in atopic dermatitis. *Journal of pakistan association of dermatologists*. 2016;26; 223-228.
- [239] Pacifico A, Iacovelli P, Damiani G, Ferraro C, Cazzaniga S, Conic RRZ, et al. 'High dose' vs. 'medium dose' UVA1 phototherapy in italian patients with severe atopic dermatitis. *J Eur Acad Dermatol Venereol*. 2019;33; 718-724.
- [240] Collins P, Ferguson J. Narrowband (TL-01) UVB air-conditioned phototherapy for atopic eczema in children. *Br J Dermatol*. 1995;133; 653-655.
- [241] Jury CS, McHenry P, Burden AD, Lever R, Bilisland D. Narrowband ultraviolet B (UVB) phototherapy in children. *Clin Exp Dermatol*. 2006;31; 196-199.
- [242] Clayton TH, Clark SM, Turner D, Goulden V. The treatment of severe atopic dermatitis in childhood with narrowband ultraviolet B phototherapy. *Clin Exp Dermatol*. 2007;32; 28-33.
- [243] Tay YK, Morelli JG, Weston WL. Experience with UVB phototherapy in children. *Pediatr Dermatol*. 1996;13; 406-409.
- [244] Sheehan MP, Atherton DJ, Norris P, Hawk J. Oral psoralen photochemotherapy in severe childhood atopic eczema: an update. *Br J Dermatol*. 1993;129; 431-436.
- [245] Mok ZR, Koh MJ, Chong WS. Is phototherapy useful in the treatment of atopic dermatitis in asian children? A 5-year report from singapore. *Pediatr Dermatol*. 2014;31; 698-702.
- [246] Pavlovsky M, Baum S, Shpiro D, Pavlovsky L, Pavlotsky F. Narrow band UVB: is it effective and safe for paediatric psoriasis and atopic dermatitis? *J Eur Acad Dermatol Venereol*. 2011;25; 727-729.

- [247] Darne S, Leech SN, Taylor AE. Narrowband ultraviolet B phototherapy in children with moderate-to-severe eczema: a comparative cohort study. *Br J Dermatol.* 2014;170; 150-156.
- [248] Dayal S, Pathak K, Sahu P, Jain VK. Narrowband UV-B phototherapy in childhood atopic dermatitis: efficacy and safety. *An Bras Dermatol.* 2017;92; 801-806.
- [249] Vermeulen FM, Gerbens LAA, Schmitt J, Deleuran M, Irvine AD, Logan K, et al. The European TREATment of ATopic eczema (TREAT) Registry Taskforce survey: prescribing practices in Europe for phototherapy and systemic therapy in adult patients with moderate-to-severe atopic eczema. *Br J Dermatol.* 2020.
- [250] Bedair K, Elhadad A, Hamad S, Ferguson J, Donnan P, Dawe RS. No association between whole-body ultraviolet A1 phototherapy and skin cancers in humans: a cancer registry linkage study. *British Journal of Dermatology.* 2020.
- [251] Weischer M, Blum A, Eberhard F, Rocken M, Berneburg M. No evidence for increased skin cancer risk in psoriasis patients treated with broadband or narrowband UVB phototherapy: A first retrospective study. *Acta Dermato-Venereologica.* 2004;84; 370-374.
- [252] Lee E, Koo J, Berger T. UVB phototherapy and skin cancer risk: a review of the literature. *International journal of dermatology.* 2005;44; 355-360.
- [253] Archier E, Devaux S, Castela E, Gallini A, Aubin F, Le Maitre M, et al. Carcinogenic risks of psoralen UV-A therapy and narrowband UV-B therapy in chronic plaque psoriasis: a systematic literature review. *J Eur Acad Dermatol Venereol.* 2012;26 Suppl 3; 22-31.
- [254] Stern RS, Liebman EJ, Vakeva L. Oral psoralen and ultraviolet-A light (PUVA) treatment of psoriasis and persistent risk of nonmelanoma skin cancer. PUVA Follow-up Study. *J Natl Cancer Inst.* 1998;90; 1278-1284.
- [255] Stern RS, Nichols KT, Vakeva LH. Malignant melanoma in patients treated for psoriasis with methoxsalen (psoralen) and ultraviolet A radiation (PUVA). The PUVA Follow-Up Study. *N Engl J Med.* 1997;336; 1041-1045.
- [256] Paul CF, Ho VC, McGeown C, Christophers E, Schmidtman B, Guillaume JC, et al. Risk of malignancies in psoriasis patients treated with cyclosporine: a 5 y cohort study. *J Invest Dermatol.* 2003;120; 211-216.
- [257] Marcil I, Stern RS. Squamous-cell cancer of the skin in patients given PUVA and ciclosporin: nested cohort crossover study. *Lancet.* 2001;358; 1042-1045.
- [258] Schmitt J, Spuls PI, Thomas KS, Simpson E, Furue M, Deckert S, et al. The Harmonising Outcome Measures for Eczema (HOME) statement to assess clinical signs of atopic eczema in trials. *J Allergy Clin Immunol.* 2014;134; 800-807.
- [259] Stadler PC, Renner ED, Milner J, Wollenberg A. Inborn Error of Immunity or Atopic Dermatitis: When to be Concerned and How to Investigate. *J Allergy Clin Immunol Pract.* 2021;9; 1501-1507.
- [260] Thyssen JP, Vestergaard C, Barbarot S, de Bruin-Weller MS, Bieber T, Taieb A, et al. European Task Force on Atopic Dermatitis: position on vaccination of adult patients with atopic dermatitis against COVID-19 (SARS-CoV-2) being treated with systemic medication and biologics. *J Eur Acad Dermatol Venereol.* 2021;35; e308-e311.
- [261] Wollenberg A, Flohr C, Simon D, Cork MJ, Thyssen JP, Bieber T, et al. European Task Force on Atopic Dermatitis statement on severe acute respiratory syndrome coronavirus 2 (SARS-Cov-2) infection and atopic dermatitis. *J Eur Acad Dermatol Venereol.* 2020;34; e241-e242.
- [262] Lennard L. The clinical pharmacology of 6-mercaptopurine. *Eur J Clin Pharmacol.* 1992;43; 329-339.
- [263] Roekevisch E, Spuls PI, Kuester D, Limpens J, Schmitt J. Efficacy and safety of systemic treatments for moderate-to-severe atopic dermatitis: a systematic review. *J Allergy Clin Immunol.* 2014;133; 429-438.
- [264] Thomsen SF, Karlsmark T, Clemmensen KK, Graversgaard C, Ibler KS, Jemec GB, et al. Outcome of treatment with azathioprine in severe atopic dermatitis: a 5-year retrospective study of adult outpatients. *Br J Dermatol.* 2015;172; 1122-1124.

- [265] Garritsen FM, Roekevisch E, van der Schaft J, Deinum J, Spuls PI, de Bruin-Weller MS. Ten years experience with oral immunosuppressive treatment in adult patients with atopic dermatitis in two academic centres. *J Eur Acad Dermatol Venereol.* 2015;29; 1905-1912.
- [266] van der Schaft J, van Zuilen AD, Deinum J, Bruijnzeel-Koomen CA, de Bruin-Weller MS. Serum creatinine levels during and after long-term treatment with cyclosporine A in patients with severe atopic dermatitis. *Acta Derm Venereol.* 2015;95; 963-967.
- [267] Gerbens LAA, Hamann SAS, Brouwer MWD, Roekevisch E, Leeflang MMG, Spuls PI. Methotrexate and azathioprine for severe atopic dermatitis: a 5-year follow-up study of a randomized controlled trial. *Br J Dermatol.* 2018;178; 1288-1296.
- [268] Meggitt SJ, Gray JC, Reynolds NJ. Azathioprine dosed by thiopurine methyltransferase activity for moderate-to-severe atopic eczema: a double-blind, randomised controlled trial. *Lancet.* 2006;367; 839-846.
- [269] Meggitt SJ, Reynolds NJ. Azathioprine for atopic dermatitis. *Clin Exp Dermatol.* 2001;26; 369-375.
- [270] Taylor AE, Shuster S. Skin cancer after renal transplantation: the causal role of azathioprine. *Acta Derm Venereol.* 1992;72; 115-119.
- [271] Meggitt SJ, Anstey AV, Mohd Mustapa MF, Reynolds NJ, Wakelin S. British Association of Dermatologists' guidelines for the safe and effective prescribing of azathioprine 2011. *Br J Dermatol.* 2011;165; 711-734.
- [272] Janssen NM, Genta MS. The effects of immunosuppressive and anti-inflammatory medications on fertility, pregnancy, and lactation. *Arch Intern Med.* 2000;160; 610-619.
- [273] Noguera-Morel L, Knöpfel N, Torreló A, Hernández-Martín A. A Retrospective Study of Systemic Treatment of Severe Atopic Dermatitis With Azathioprine: Effectiveness and Tolerance in 11 Pediatric Patients. *Actas Dermosifiliogr.* 2019;110; 227-231.
- [274] Schmitt J, Schmitt N, Meurer M. Cyclosporin in the treatment of patients with atopic eczema - a systematic review and meta-analysis. *J Eur Acad Dermatol Venereol.* 2007;21; 606-619.
- [275] Seger EW, Wechter T, Strowd L, Feldman SR. Relative efficacy of systemic treatments for atopic dermatitis. *Journal of the American Academy of Dermatology.* 2019;80; 411-416.e414.
- [276] Dal Bello G, Maurelli M, Schena D, Girolomoni G, Gisondi P. Drug survival of dupilumab compared to cyclosporin in moderate-to-severe atopic dermatitis patients. *Dermatol Ther.* 2020;33; e13979.
- [277] Goujon C, Viguier M, Staumont-Sallé D, Bernier C, Guillet G, Lahfa M, et al. Methotrexate Versus Cyclosporine in Adults with Moderate-to-Severe Atopic Dermatitis: A Phase III Randomized Noninferiority Trial. *J Allergy Clin Immunol Pract.* 2018;6; 562-569.e563.
- [278] Berth-Jones J, Finlay AY, Zaki I, Tan B, Goodyear H, Lewis-Jones S, et al. Cyclosporine in severe childhood atopic dermatitis: a multicenter study. *Journal of the American Academy of Dermatology.* 1996;34; 1016-1021.
- [279] Rhen T, Cidlowski JA. Antiinflammatory action of glucocorticoids--new mechanisms for old drugs. *N Engl J Med.* 2005;353; 1711-1723.
- [280] La Rosa M, Musarra I, Ranno C, Maiello N, Negri L, del Giudice MM, et al. A randomized, double-blind, placebo-controlled, crossover trial of systemic flunisolide in the treatment of children with severe atopic dermatitis. *Current Therapeutic Research.* 1995;56; 720-726.
- [281] Saag KG, Koehnke R, Caldwell JR, Brasington R, Burmeister LF, Zimmerman B, et al. Low dose long-term corticosteroid therapy in rheumatoid arthritis: an analysis of serious adverse events. *Am J Med.* 1994;96; 115-123.
- [282] Richter B, Neises G, Clar C. Glucocorticoid withdrawal schemes in chronic medical disorders. A systematic review. *Endocrinol Metab Clin North Am.* 2002;31; 751-778.
- [283] Alqarni AM, Zeidler MP. How does methotrexate work? *Biochem Soc Trans.* 2020;48; 559-567.
- [284] Weatherhead SC, Wahie S, Reynolds NJ, Meggitt SJ. An open-label, dose-ranging study of methotrexate for moderate-to-severe adult atopic eczema. *Br J Dermatol.* 2007;156; 346-351.

- [285] Goujon C, Bérard F, Dahel K, Guillot I, Hennino A, Nosbaum A, et al. Methotrexate for the treatment of adult atopic dermatitis. *Eur J Dermatol*. 2006;16; 155-158.
- [286] Lyakhovitsky A, Barzilai A, Heyman R, Baum S, Amichai B, Solomon M, et al. Low-dose methotrexate treatment for moderate-to-severe atopic dermatitis in adults. *J Eur Acad Dermatol Venereol*. 2010;24; 43-49.
- [287] Schram ME, Roekevisch E, Leeflang MM, Bos JD, Schmitt J, Spuls PI. A randomized trial of methotrexate versus azathioprine for severe atopic eczema. *J Allergy Clin Immunol*. 2011;128; 353-359.
- [288] El-Khalawany MA, Hassan H, Shaaban D, Ghonaim N, Eassa B. Methotrexate versus cyclosporine in the treatment of severe atopic dermatitis in children: a multicenter experience from Egypt. *Eur J Pediatr*. 2013;172; 351-356.
- [289] Deo M, Yung A, Hill S, Rademaker M. Methotrexate for treatment of atopic dermatitis in children and adolescents. *International journal of dermatology*. 2014;53; 1037-1041.
- [290] Taieb Y, Baum S, Ben Amitai D, Barzilai A, Greenberger S. The use of methotrexate for treating childhood atopic dermatitis: a multicenter retrospective study. *J Dermatolog Treat*. 2019;30; 240-244.
- [291] Shah N, Alhusayen R, Walsh S, Shear NH. Methotrexate in the Treatment of Moderate to Severe Atopic Dermatitis: A Retrospective Study. *Journal of cutaneous medicine and surgery*. 2018;22; 484-487.
- [292] Ortiz Z, Shea B, Suarez-Almazor ME, Moher D, Wells GA, Tugwell P. The efficacy of folic acid and folinic acid in reducing methotrexate gastrointestinal toxicity in rheumatoid arthritis. A metaanalysis of randomized controlled trials. *J Rheumatol*. 1998;25; 36-43.
- [293] Dogra S, Mahajan R. Systemic methotrexate therapy for psoriasis: past, present and future. *Clin Exp Dermatol*. 2013;38; 573-588.
- [294] Weinblatt ME. Methotrexate in rheumatoid arthritis: a quarter century of development. *Trans Am Clin Climatol Assoc*. 2013;124; 16-25.
- [295] Allison AC. Mechanisms of action of mycophenolate mofetil. *Lupus*. 2005;14 Suppl 1; s2-8.
- [296] Phan K, Smith SD. Mycophenolate mofetil and atopic dermatitis: systematic review and meta-analysis. *J Dermatolog Treat*. 2020;31; 810-814.
- [297] Dias-Polak D, Bergman R, Avitan-Hersh E. Mycophenolate mofetil therapy in adult patients with recalcitrant atopic dermatitis. *J Dermatolog Treat*. 2019;30; 49-51.
- [298] Beck LA, Thaçi D, Hamilton JD, Graham NM, Bieber T, Rocklin R, et al. Dupilumab treatment in adults with moderate-to-severe atopic dermatitis. *N Engl J Med*. 2014;371; 130-139.
- [299] Beck LA, Thaçi D, Deleuran M, Blauvelt A, Bissonnette R, de Bruin-Weller M, et al. Dupilumab Provides Favorable Safety and Sustained Efficacy for up to 3 Years in an Open-Label Study of Adults with Moderate-to-Severe Atopic Dermatitis. *American journal of clinical dermatology*. 2020;21; 567-577.
- [300] Wollenberg A, Beck LA, Blauvelt A, Simpson EL, Chen Z, Chen Q, et al. Laboratory safety of dupilumab in moderate-to-severe atopic dermatitis: results from three phase III trials (LIBERTY AD SOLO 1, LIBERTY AD SOLO 2, LIBERTY AD CHRONOS). *Br J Dermatol*. 2020;182; 1120-1135.
- [301] Akinlade B, Guttman-Yassky E, de Bruin-Weller M, Simpson EL, Blauvelt A, Cork MJ, et al. Conjunctivitis in dupilumab clinical trials. *Br J Dermatol*. 2019;181; 459-473.
- [302] Wollenberg A, Ariens L, Thurau S, van Luijk C, Seegräber M, de Bruin-Weller M. Conjunctivitis occurring in atopic dermatitis patients treated with dupilumab-clinical characteristics and treatment. *J Allergy Clin Immunol Pract*. 2018;6; 1778-1780.e1771.
- [303] Blauvelt A, de Bruin-Weller M, Gooderham M, Cather JC, Weisman J, Pariser D, et al. Long-term management of moderate-to-severe atopic dermatitis with dupilumab and concomitant topical corticosteroids (LIBERTY AD CHRONOS): a 1-year, randomised, double-blinded, placebo-controlled, phase 3 trial. *Lancet*. 2017;389; 2287-2303.

- [304] Guttman-Yassky E, Blauvelt A, Eichenfield LF, Paller AS, Armstrong AW, Drew J, et al. Efficacy and Safety of Lebrikizumab, a High-Affinity Interleukin 13 Inhibitor, in Adults With Moderate to Severe Atopic Dermatitis: A Phase 2b Randomized Clinical Trial. *JAMA Dermatol.* 2020;156; 411-420.
- [305] Simpson EL, Flohr C, Eichenfield LF, Bieber T, Sofen H, Taïeb A, et al. Efficacy and safety of lebrikizumab (an anti-IL-13 monoclonal antibody) in adults with moderate-to-severe atopic dermatitis inadequately controlled by topical corticosteroids: A randomized, placebo-controlled phase II trial (TREBLE). *Journal of the American Academy of Dermatology.* 2018;78; 863-871.e811.
- [306] Ruzicka T, Hanifin JM, Furue M, Pulka G, Mlynarczyk I, Wollenberg A, et al. Anti-Interleukin-31 Receptor A Antibody for Atopic Dermatitis. *N Engl J Med.* 2017;376; 826-835.
- [307] Silverberg JI, Pinter A, Pulka G, Poulin Y, Bouaziz JD, Wollenberg A, et al. Phase 2B randomized study of nemolizumab in adults with moderate-to-severe atopic dermatitis and severe pruritus. *J Allergy Clin Immunol.* 2020;145; 173-182.
- [308] Silverberg JI, Pinter A, Alavi A, Lynde C, Bouaziz JD, Wollenberg A, et al. Nemolizumab is associated with a rapid improvement in atopic dermatitis signs and symptoms: subpopulation (EASI \geq 16) analysis of randomized phase 2B study. *J Eur Acad Dermatol Venereol.* 2021;35; 1562-1568.
- [309] Kabashima K, Matsumura T, Komazaki H, Kawashima M. Trial of Nemolizumab and Topical Agents for Atopic Dermatitis with Pruritus. *N Engl J Med.* 2020;383; 141-150.
- [310] Wollenberg A, Thomsen SF, Lacour J-P, Jaumont X, Lazarewicz S. Targeting immunoglobulin E in atopic dermatitis: A review of the existing evidence. *World Allergy Organization Journal.* 2021;14; 100519.
- [311] Metz M, Maurer M. Omalizumab in chronic urticaria. *Curr Opin Allergy Clin Immunol.* 2012;12; 406-411.
- [312] Bieber T, de la Salle H, Wollenberg A, Hakimi J, Chizzonite R, Ring J, et al. Human epidermal Langerhans cells express the high affinity receptor for immunoglobulin E (Fc epsilon RI). *J Exp Med.* 1992;175; 1285-1290.
- [313] Chan S, Cornelius V, Cro S, Harper JI, Lack G. Treatment Effect of Omalizumab on Severe Pediatric Atopic Dermatitis: The ADAPT Randomized Clinical Trial. *JAMA Pediatr.* 2019;174; 29-37.
- [314] Belloni B, Ziai M, Lim A, Lemercier B, Sbornik M, Weidinger S, et al. Low-dose anti-IgE therapy in patients with atopic eczema with high serum IgE levels. *J Allergy Clin Immunol.* 2007;120; 1223-1225.
- [315] Wang HH, Li YC, Huang YC. Efficacy of omalizumab in patients with atopic dermatitis: A systematic review and meta-analysis. *J Allergy Clin Immunol.* 2016;138; 1719-1722.e1711.
- [316] Corren J, Casale TB, Lanier B, Buhl R, Holgate S, Jimenez P. Safety and tolerability of omalizumab. *Clin Exp Allergy.* 2009;39; 788-797.
- [317] Cruz AA, Lima F, Sarinho E, Ayre G, Martin C, Fox H, et al. Safety of anti-immunoglobulin E therapy with omalizumab in allergic patients at risk of geohelminth infection. *Clin Exp Allergy.* 2007;37; 197-207.
- [318] Silverberg JI, Toth D, Bieber T, Alexis AF, Elewski BE, Pink AE, et al. Tralokinumab plus topical corticosteroids for the treatment of moderate-to-severe atopic dermatitis: results from the double-blind, randomized, multicentre, placebo-controlled phase III ECZTRA 3 trial. *Br J Dermatol.* 2021;184; 450-463.
- [319] Solimani F, Meier K, Ghoreschi K. Emerging Topical and Systemic JAK Inhibitors in Dermatology. *Front Immunol.* 2019;10; 2847.
- [320] Amano W, Nakajima S, Kunugi H, Numata Y, Kitoh A, Egawa G, et al. The Janus kinase inhibitor JTE-052 improves skin barrier function through suppressing signal transducer and activator of transcription 3 signaling. *J Allergy Clin Immunol.* 2015;136; 667-677 e667.
- [321] Oetjen LK, Mack MR, Feng J, Whelan TM, Niu H, Guo CJ, et al. Sensory Neurons Co-opt Classical Immune Signaling Pathways to Mediate Chronic Itch. *Cell.* 2017;171; 217-228 e213.

- [322] Eichenfield LF, Flohr C, Sidbury R, Siegfried E, Szalai Z, Galus R, et al. Efficacy and Safety of Abrocitinib in Combination With Topical Therapy in Adolescents With Moderate-to-Severe Atopic Dermatitis: The JADE TEEN Randomized Clinical Trial. *JAMA Dermatol.* 2021;157; 1165-1173.
- [323] Bieber T, Simpson EL, Silverberg JI, Thaçi D, Paul C, Pink AE, et al. Abrocitinib versus Placebo or Dupilumab for Atopic Dermatitis. *N Engl J Med.* 2021;384; 1101-1112.
- [324] Blauvelt A, Silverberg JI, Lynde CW, Bieber T, Eisman S, Zdybski J, et al. Abrocitinib induction, randomized withdrawal, and retreatment in patients with moderate-to-severe atopic dermatitis: Results from the JAK1 Atopic Dermatitis Efficacy and Safety (JADE) REGIMEN phase 3 trial. *Journal of the American Academy of Dermatology.* 2021; 02343-02344.
- [325] Simpson EL, Silverberg JI, Nosbaum A, Winthrop KL, Guttman-Yassky E, Hoffmeister KM, et al. Integrated Safety Analysis of Abrocitinib for the Treatment of Moderate-to-Severe Atopic Dermatitis From the Phase II and Phase III Clinical Trial Program. *American journal of clinical dermatology.* 2021;22; 693-707.
- [326] Reich K, Kabashima K, Peris K, Silverberg JI, Eichenfield LF, Bieber T, et al. Efficacy and Safety of Baricitinib Combined With Topical Corticosteroids for Treatment of Moderate to Severe Atopic Dermatitis: A Randomized Clinical Trial. *JAMA Dermatol.* 2020;156; 1333-1343.
- [327] Silverberg JI, Simpson EL, Wollenberg A, Bissonnette R, Kabashima K, DeLozier AM, et al. Long-term Efficacy of Baricitinib in Adults With Moderate to Severe Atopic Dermatitis Who Were Treatment Responders or Partial Responders: An Extension Study of 2 Randomized Clinical Trials. *JAMA Dermatol.* 2021;157; 691-699.
- [328] A Study of Baricitinib (LY3009104) in Children and Adolescents With Atopic Dermatitis (BREEZE-AD-PEDS). 2019. <https://clinicaltrials.gov/ct2/show/NCT03952559>.
- [329] Bieber T, Thyssen JP, Reich K, Simpson EL, Katoh N, Torrelo A, et al. Pooled safety analysis of baricitinib in adult patients with atopic dermatitis from 8 randomized clinical trials. *J Eur Acad Dermatol Venereol.* 2020.
- [330] Taylor PC, Takeuchi T, Burmester GR, Durez P, Smolen JS, Deberdt W, et al. Safety of baricitinib for the treatment of rheumatoid arthritis over a median of 4.6 and up to 9.3 years of treatment: final results from long-term extension study and integrated database. *Ann Rheum Dis.* 2021.
- [331] Fleischmann R, Schiff M, van der Heijde D, Ramos-Remus C, Spindler A, Stanislav M, et al. Baricitinib, Methotrexate, or Combination in Patients With Rheumatoid Arthritis and No or Limited Prior Disease-Modifying Antirheumatic Drug Treatment. *Arthritis Rheumatol.* 2017;69; 506-517.
- [332] Guttman-Yassky E, Thaci D, Pangan AL, Hong HC, Papp KA, Reich K, et al. Upadacitinib in adults with moderate to severe atopic dermatitis: 16-week results from a randomized, placebo-controlled trial. *J Allergy Clin Immunol.* 2020;145; 877-884.
- [333] Reich K, Teixeira HD, de Bruin-Weller M, Bieber T, Soong W, Kabashima K, et al. Safety and efficacy of upadacitinib in combination with topical corticosteroids in adolescents and adults with moderate-to-severe atopic dermatitis (AD Up): results from a randomised, double-blind, placebo-controlled, phase 3 trial. *Lancet.* 2021;397; 2169-2181.
- [334] Silverberg JI, de Bruin-Weller M, Bieber T, Soong W, Kabashima K, Costanzo A, et al. Upadacitinib plus topical corticosteroids in atopic dermatitis: Week 52 AD Up study results. *J Allergy Clin Immunol.* 2021.
- [335] Fleischmann RM, Genovese MC, Enejosa JV, Mysler E, Bessette L, Peterfy C, et al. Safety and effectiveness of upadacitinib or adalimumab plus methotrexate in patients with rheumatoid arthritis over 48 weeks with switch to alternate therapy in patients with insufficient response. *Ann Rheum Dis.* 2019;78; 1454-1462.
- [336] Blauvelt A, Teixeira HD, Simpson EL, Costanzo A, De Bruin-Weller M, Barbarot S, et al. Efficacy and Safety of Upadacitinib vs Dupilumab in Adults With Moderate-to-Severe Atopic Dermatitis: A Randomized Clinical Trial. *JAMA Dermatol.* 2021;157; 1047-1055.
- [337] Ruzicka T, Lynde CW, Jemec GB, Diepgen T, Berth-Jones J, Coenraads PJ, et al. Efficacy and safety of oral alitretinoin (9-cis retinoic acid) in patients with severe chronic hand eczema refractory

to topical corticosteroids: results of a randomized, double-blind, placebo-controlled, multicentre trial. *Br J Dermatol.* 2008;158; 808-817.

[338] Grahovac M, Molin S, Prinz JC, Ruzicka T, Wollenberg A. Treatment of atopic eczema with oral alitretinoin. *Br J Dermatol.* 2010;162; 217-218.

[339] Luchsinger I, Vogler T, Schwieger-Briel A, Knöpfel N, Wälchli R, Weibel L, et al. Safe and effective use of alitretinoin in children with recalcitrant hand eczema and other dermatoses - a retrospective analysis. *J Eur Acad Dermatol Venereol.* 2020;34; 1037-1042.

[340] Murata Y, Song M, Kikuchi H, Hisamichi K, Xu XL, Greenspan A, et al. Phase 2a, randomized, double-blind, placebo-controlled, multicenter, parallel-group study of a H4 R-antagonist (JNJ-39758979) in Japanese adults with moderate atopic dermatitis. *J Dermatol.* 2015;42; 129-139.

[341] Werfel T, Layton G, Yeadon M, Whitlock L, Osterloh I, Jimenez P, et al. Efficacy and safety of the histamine H(4) receptor antagonist ZPL-3893787 in patients with atopic dermatitis. *J Allergy Clin Immunol.* 2019;143; 1830-1837.e1834.

[342] Werfel T, Heratizadeh A, Niebuhr M, Kapp A, Roesner LM, Karch A, et al. Exacerbation of atopic dermatitis on grass pollen exposure in an environmental challenge chamber. *J Allergy Clin Immunol.* 2015;136; 96-103.e109.

[343] Garritsen FM, ter Haar NM, Spuls PI. House dust mite reduction in the management of atopic dermatitis. A critically appraised topic. *Br J Dermatol.* 2013;168; 688-691.

[344] Nankervis H, Pynn EV, Boyle RJ, Rushton L, Williams HC, Hewson DM, et al. House dust mite reduction and avoidance measures for treating eczema. *Cochrane Database Syst Rev.* 2015;1; Cd008426.

[345] Fieten KB, Weststrate AC, van Zuuren EJ, Bruijnzeel-Koomen CA, Pasmans SG. Alpine climate treatment of atopic dermatitis: a systematic review. *Allergy.* 2015;70; 12-25.

[346] Thorsteinsdottir S, Thyssen JP, Stokholm J, Vissing NH, Waage J, Bisgaard H. Domestic dog exposure at birth reduces the incidence of atopic dermatitis. *Allergy.* 2016;71; 1736-1744.

[347] Pelucchi C, Galeone C, Bach JF, La Vecchia C, Chatenoud L. Pet exposure and risk of atopic dermatitis at the pediatric age: a meta-analysis of birth cohort studies. *J Allergy Clin Immunol.* 2013;132; 616-622.e617.

[348] Kim A, Silverberg JI. A systematic review of vigorous physical activity in eczema. *Br J Dermatol.* 2016;174; 660-662.

[349] Murota H, Yamaga K, Ono E, Katayama I. Sweat in the pathogenesis of atopic dermatitis. *Allergol Int.* 2018;67; 455-459.

[350] Murota H, Yamaga K, Ono E, Murayama N, Yokozeki H, Katayama I. Why does sweat lead to the development of itch in atopic dermatitis? *Exp Dermatol.* 2019;28; 1416-1421.

[351] Jaros J, Wilson C, Shi VY. Fabric Selection in Atopic Dermatitis: An Evidence-Based Review. *American journal of clinical dermatology.* 2020.

[352] Lopes C, Silva D, Delgado L, Correia O, Moreira A. Functional textiles for atopic dermatitis: a systematic review and meta-analysis. *Pediatr Allergy Immunol.* 2013;24; 603-613.

[353] Bao Q, Chen L, Lu Z, Ma Y, Guo L, Zhang S, et al. Association between eczema and risk of depression: A systematic review and meta-analysis of 188,495 participants. *J Affect Disord.* 2018;238; 458-464.

[354] Ronnstad ATM, Halling-Overgaard AS, Hamann CR, Skov L, Egeberg A, Thyssen JP. Association of atopic dermatitis with depression, anxiety, and suicidal ideation in children and adults: A systematic review and meta-analysis. *Journal of the American Academy of Dermatology.* 2018;79; 448-456 e430.

[355] Chan CWH, Law BMH, Liu YH, Ambrocio ARB, Au N, Jiang M, et al. The Association between Maternal Stress and Childhood Eczema: A Systematic Review. *Int J Environ Res Public Health.* 2018;15.

[356] Flanigan C, Sheikh A, DunnGalvin A, Brew BK, Almqvist C, Nwaru BI. Prenatal maternal psychosocial stress and offspring's asthma and allergic disease: A systematic review and meta-analysis. *Clin Exp Allergy.* 2018;48; 403-414.

- [357] Mochizuki H, Lavery MJ, Nattkemper LA, Albornoz C, Valdes Rodriguez R, Stull C, et al. Impact of acute stress on itch sensation and scratching behaviour in patients with atopic dermatitis and healthy controls. *Br J Dermatol*. 2019;180; 821-827.
- [358] Oh SH, Bae BG, Park CO, Noh JY, Park IH, Wu WH, et al. Association of stress with symptoms of atopic dermatitis. *Acta Derm Venereol*. 2010;90; 582-588.
- [359] Ngoc LTN, Park D, Lee Y, Lee YC. Systematic Review and Meta-Analysis of Human Skin Diseases Due to Particulate Matter. *Int J Environ Res Public Health*. 2017;14.
- [360] Kramer U, Behrendt H. [Air pollution and atopic eczema : Systematic review of findings from environmental epidemiological studies]. *Hautarzt*. 2019;70; 169-184.
- [361] Yazd NKK, Dunnick, C. Environmental Risk Factors for Development of Atopic Dermatitis: a Systematic Review. *Curr Derm Rep* 2017;6:169–177.
- [362] Kantor R, Kim A, Thyssen JP, Silverberg JI. Association of atopic dermatitis with smoking: A systematic review and meta-analysis. *Journal of the American Academy of Dermatology*. 2016;75; 1119-1125 e1111.
- [363] Pilz AC, Schielein MC, Schuster B, Heinrich L, Haufe E, Abraham S, et al. Atopic dermatitis: disease characteristics and comorbidities in smoking and non-smoking patients from the TREATgermany registry. *J Eur Acad Dermatol Venereol*. 2022;36; 413-421.
- [364] Tsakok T, Marrs T, Mohsin M, Baron S, du Toit G, Till S, et al. Does atopic dermatitis cause food allergy? A systematic review. *J Allergy Clin Immunol*. 2016;137; 1071-1078.
- [365] Eigenmann PA, Sicherer SH, Borkowski TA, Cohen BA, Sampson HA. Prevalence of IgE-mediated food allergy among children with atopic dermatitis. *Pediatrics*. 1998;101; E8.
- [366] Sicherer SH, Sampson HA. Food hypersensitivity and atopic dermatitis: pathophysiology, epidemiology, diagnosis, and management. *J Allergy Clin Immunol*. 1999;104; S114-122.
- [367] Breuer K, Heratizadeh A, Wulf A, Baumann U, Constien A, Tetau D, et al. Late eczematous reactions to food in children with atopic dermatitis. *Clin Exp Allergy*. 2004;34; 817-824.
- [368] Reekers R, Busche M, Wittmann M, Kapp A, Werfel T. Birch pollen-related foods trigger atopic dermatitis in patients with specific cutaneous T-cell responses to birch pollen antigens. *J Allergy Clin Immunol*. 1999;104; 466-472.
- [369] Wassmann-Otto A, Heratizadeh A, Wichmann K, Werfel T. Birch pollen-related foods can cause late eczematous reactions in patients with atopic dermatitis. *Allergy*. 2018;73; 2046-2054.
- [370] Breuer K, Wulf A, Constien A, Tetau D, Kapp A, Werfel T. Birch pollen-related food as a provocation factor of allergic symptoms in children with atopic eczema/dermatitis syndrome. *Allergy*. 2004;59; 988-994.
- [371] Sampson HA. The evaluation and management of food allergy in atopic dermatitis. *Clinics in dermatology*. 2003;21; 183-192.
- [372] Werfel T, Ballmer-Weber B, Eigenmann PA, Niggemann B, Rancé F, Turjanmaa K, et al. Eczematous reactions to food in atopic eczema: position paper of the EAACI and GA2LEN. *Allergy*. 2007;62; 723-728.
- [373] Muraro A, Werfel T, Hoffmann-Sommergruber K, Roberts G, Beyer K, Bindslev-Jensen C, et al. EAACI food allergy and anaphylaxis guidelines: diagnosis and management of food allergy. *Allergy*. 2014;69; 1008-1025.
- [374] Niggemann B, Reibel S, Wahn U. The atopy patch test (APT)-- a useful tool for the diagnosis of food allergy in children with atopic dermatitis. *Allergy*. 2000;55; 281-285.
- [375] Turjanmaa K, Darsow U, Niggemann B, Rancé F, Vanto T, Werfel T. EAACI/GA2LEN position paper: present status of the atopy patch test. *Allergy*. 2006;61; 1377-1384.
- [376] Niggemann B. The role of the atopy patch test (APT) in diagnosis of food allergy in infants and children with atopic dermatitis. *Pediatr Allergy Immunol*. 2001;12 Suppl 14; 37-40.
- [377] Roehr CC, Reibel S, Ziegert M, Sommerfeld C, Wahn U, Niggemann B. Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis. *J Allergy Clin Immunol*. 2001;107; 548-553.

- [378] Darsow U, Ring J. Airborne and dietary allergens in atopic eczema: a comprehensive review of diagnostic tests. *Clin Exp Dermatol.* 2000;25; 544-551.
- [379] Bindslev-Jensen C, Ballmer-Weber BK, Bengtsson U, Blanco C, Ebner C, Hourihane J, et al. Standardization of food challenges in patients with immediate reactions to foods--position paper from the European Academy of Allergology and Clinical Immunology. *Allergy.* 2004;59; 690-697.
- [380] Hoare C, Li Wan Po A, Williams H. Systematic review of treatments for atopic eczema. *Health Technol Assess.* 2000;4; 1-191.
- [381] Bath-Hextall F, Delamere FM, Williams HC. Dietary exclusions for improving established atopic eczema in adults and children: systematic review. *Allergy.* 2009;64; 258-264.
- [382] Hanifin JM, Cooper KD, Ho VC, Kang S, Krafchik BR, Margolis DJ, et al. Guidelines of care for atopic dermatitis, developed in accordance with the American Academy of Dermatology (AAD)/American Academy of Dermatology Association "Administrative Regulations for Evidence-Based Clinical Practice Guidelines". *Journal of the American Academy of Dermatology.* 2004;50; 391-404.
- [383] Isolauri E, Arvola T, Sütas Y, Moilanen E, Salminen S. Probiotics in the management of atopic eczema. *Clin Exp Allergy.* 2000;30; 1604-1610.
- [384] Fölster-Holst R, Müller F, Schnopp N, Abeck D, Kreislermaier I, Lenz T, et al. Prospective, randomized controlled trial on *Lactobacillus rhamnosus* in infants with moderate to severe atopic dermatitis. *Br J Dermatol.* 2006;155; 1256-1261.
- [385] Rosenfeldt V, Benfeldt E, Nielsen SD, Michaelsen KF, Jeppesen DL, Valerius NH, et al. Effect of probiotic *Lactobacillus* strains in children with atopic dermatitis. *J Allergy Clin Immunol.* 2003;111; 389-395.
- [386] Grüber C. Probiotics and prebiotics in allergy prevention and treatment: future prospects. *Expert review of clinical immunology.* 2012;8; 17-19.
- [387] Makrgeorgou A, Leonardi-Bee J, Bath-Hextall FJ, Murrell DF, Tang ML, Roberts A, et al. Probiotics for treating eczema. *Cochrane Database Syst Rev.* 2018;11; Cd006135.
- [388] Tan-Lim CSC, Esteban-Ipac NAR, Mantaring JBV, 3rd, Chan Shih Yen E, Recto MST, Sison OT, et al. Comparative effectiveness of probiotic strains for the treatment of pediatric atopic dermatitis: A systematic review and network meta-analysis. *Pediatr Allergy Immunol.* 2020.
- [389] Bath-Hextall FJ, Jenkinson C, Humphreys R, Williams HC. Dietary supplements for established atopic eczema. *Cochrane Database Syst Rev.* 2012; Cd005205.
- [390] Aldaghi M, Tehrani H, Karrabi M, Abadi FS, Sahebkar M. The effect of multistrain synbiotic and vitamin D3 supplements on the severity of atopic dermatitis among infants under 1 year of age: a double-blind, randomized clinical trial study. *J Dermatolog Treat.* 2020; 1-6.
- [391] Udompataikul M, Srisatwaja W. Comparative trial of moisturizer containing licochalcone A vs. hydrocortisone lotion in the treatment of childhood atopic dermatitis: a pilot study. *J Eur Acad Dermatol Venereol.* 2011;25; 660-665.
- [392] Fortes C, Mastroeni S, Mannooranparampil TJ, Di Lallo D. Pre-natal folic acid and iron supplementation and atopic dermatitis in the first 6 years of life. *Arch Dermatol Res.* 2019;311; 361-367.
- [393] Kucuksezer UC, Ozdemir C, Cevhertas L, Ogulur I, Akdis M, Akdis CA. Mechanisms of allergen-specific immunotherapy and allergen tolerance. *Allergol Int.* 2020;69; 549-560.
- [394] Noon L. PROPHYLACTIC INOCULATION AGAINST HAY FEVER. *The Lancet.* 1911;177; 1572-1573.
- [395] Cox LS, Hankin C, Lockey R. Allergy immunotherapy adherence and delivery route: location does not matter. *J Allergy Clin Immunol Pract.* 2014;2; 156-160.
- [396] Novak N, Bieber T, Hoffmann M, Fölster-Holst R, Homey B, Werfel T, et al. Efficacy and safety of subcutaneous allergen-specific immunotherapy with depigmented polymerized mite extract in atopic dermatitis. *J Allergy Clin Immunol.* 2012;130; 925-931.e924.
- [397] Novak N. Allergen specific immunotherapy for atopic dermatitis. *Curr Opin Allergy Clin Immunol.* 2007;7; 542-546.

- [398] Bae JM, Choi YY, Park CO, Chung KY, Lee KH. Efficacy of allergen-specific immunotherapy for atopic dermatitis: a systematic review and meta-analysis of randomized controlled trials. *J Allergy Clin Immunol.* 2013;132; 110-117.
- [399] Gendelman SR, Lang DM. Specific immunotherapy in the treatment of atopic dermatitis: a systematic review using the GRADE system. *Ann Allergy Asthma Immunol.* 2013;111; 555-561.
- [400] Hajdu K, Kapitány A, Dajnoki Z, Soltész L, Baráth S, Hendrik Z, et al. Improvement of clinical and immunological parameters after allergen-specific immunotherapy in atopic dermatitis. *J Eur Acad Dermatol Venereol.* 2021;35; 1357-1361.
- [401] Tam H, Calderon MA, Manikam L, Nankervis H, García Núñez I, Williams HC, et al. Specific allergen immunotherapy for the treatment of atopic eczema. *Cochrane Database Syst Rev.* 2016;2; Cd008774.
- [402] Ridolo E, Martignago I, Riario-Sforza GG, Incorvaia C. Allergen immunotherapy in atopic dermatitis. *Expert review of clinical immunology.* 2018;14; 61-68.
- [403] Tan EK, Millington GW, Levell NJ. Acupuncture in dermatology: an historical perspective. *International journal of dermatology.* 2009;48; 648-652.
- [404] Langevin HM, Churchill DL, Cipolla MJ. Mechanical signaling through connective tissue: a mechanism for the therapeutic effect of acupuncture. *Faseb j.* 2001;15; 2275-2282.
- [405] Pfab F, Athanasiadis GI, Huss-Marp J, Fuqin J, Heuser B, Cifuentes L, et al. Effect of acupuncture on allergen-induced basophil activation in patients with atopic eczema: a pilot trial. *J Altern Complement Med.* 2011;17; 309-314.
- [406] Pfab F, Huss-Marp J, Gatti A, Fuqin J, Athanasiadis GI, Irnich D, et al. Influence of acupuncture on type I hypersensitivity itch and the wheal and flare response in adults with atopic eczema - a blinded, randomized, placebo-controlled, crossover trial. *Allergy.* 2010;65; 903-910.
- [407] Jiao R, Yang Z, Wang Y, Zhou J, Zeng Y, Liu Z. The effectiveness and safety of acupuncture for patients with atopic eczema: a systematic review and meta-analysis. *Acupunct Med.* 2020;38; 3-14.
- [408] Beretta S, Fabiano V, Petruzzi M, Budelli A, Zuccotti GV. Fermented rice flour in pediatric atopic dermatitis. *Dermatitis.* 2015;26; 104-106.
- [409] Sgouros D, Katoulis A, Rigopoulos D. Novel topical agent containing superoxide dismutase 100 000 IU and 4% of plant extracts as a mono-therapy for atopic dermatitis. *J Cosmet Dermatol.* 2018;17; 1069-1072.
- [410] Abbasi S, Kamalinejad M, Babaie D, Shams S, Sadr Z, Gheysari M, et al. A new topical treatment of atopic dermatitis in pediatric patients based on *Ficus carica* L. (Fig): A randomized, placebo-controlled clinical trial. *Complement Ther Med.* 2017;35; 85-91.
- [411] Hon KL, Tsang YC, Pong NH, Lee VW, Luk NM, Chow CM, et al. Patient acceptability, efficacy, and skin biophysiology of a cream and cleanser containing lipid complex with shea butter extract versus a ceramide product for eczema. *Hong Kong Med J.* 2015;21; 417-425.
- [412] Ernst E. Adverse effects of herbal drugs in dermatology. *Br J Dermatol.* 2000;143; 923-929.
- [413] Cho SM, Kim ME, Kim JY, Park JC, Nahm DH. Clinical efficacy of autologous plasma therapy for atopic dermatitis. *Dermatology.* 2014;228; 71-77.
- [414] Cho SM, Kim ME, Kwon B, Nahm DH. Immunomodulatory effects induced by intramuscular administration of autologous total immunoglobulin G in patients with atopic dermatitis. *Int Immunopharmacol.* 2017;52; 1-6.
- [415] Nahm DH, Ahn A, Kim ME, Cho SM, Park MJ. Autologous Immunoglobulin Therapy in Patients With Severe Recalcitrant Atopic Dermatitis: Long-Term Changes of Clinical Severity and Laboratory Parameters. *Allergy Asthma Immunol Res.* 2016;8; 375-382.
- [416] Gu S, Yang AW, Li CG, Lu C, Xue CC. Topical application of Chinese herbal medicine for atopic eczema: a systematic review with a meta-analysis. *Dermatology.* 2014;228; 294-302.
- [417] Gu S, Yang AW, Xue CC, Li CG, Pang C, Zhang W, et al. Chinese herbal medicine for atopic eczema. *Cochrane Database Syst Rev.* 2013; Cd008642.

- [418] Eberlein B, Huss-Marp J, Pfab F, Fischer R, Franz R, Schlich M, et al. Influence of alpine mountain climate of Bavaria on patients with atopic diseases: studies at the Environmental Research Station Schneefernerhaus (UFS - Zugspitze) - a pilot study. *Clin Transl Allergy*. 2014;4; 17.
- [419] Senra MS, Wollenberg A. Psychodermatological aspects of atopic dermatitis. *Br J Dermatol*. 2014;170 Suppl 1; 38-43.
- [420] Rønnstad ATM, Halling-Overgaard AS, Hamann CR, Skov L, Egeberg A, Thyssen JP. Association of atopic dermatitis with depression, anxiety, and suicidal ideation in children and adults: A systematic review and meta-analysis. *Journal of the American Academy of Dermatology*. 2018;79; 448-456.e430.
- [421] Eicher L, Knop M, Aszodi N, Senner S, French LE, Wollenberg A. A systematic review of factors influencing treatment adherence in chronic inflammatory skin disease - strategies for optimizing treatment outcome. *J Eur Acad Dermatol Venereol*. 2019;33; 2253-2263.
- [422] Stalder JF, Bernier C, Ball A, De Raeve L, Gieler U, Deleuran M, et al. Therapeutic patient education in atopic dermatitis: worldwide experiences. *Pediatr Dermatol*. 2013;30; 329-334.
- [423] de Bes J, Legierse CM, Prinsen CA, de Korte J. Patient education in chronic skin diseases: a systematic review. *Acta Derm Venereol*. 2011;91; 12-17.
- [424] Ersser SJ, Cowdell F, Latter S, Gardiner E, Flohr C, Thompson AR, et al. Psychological and educational interventions for atopic eczema in children. *Cochrane Database Syst Rev*. 2014;2014; Cd004054.
- [425] Zhao M, Liang Y, Shen C, Wang Y, Ma L, Ma X. Patient Education Programs in Pediatric Atopic Dermatitis: A Systematic Review of Randomized Controlled Trials and Meta-Analysis. *Dermatol Ther (Heidelb)*. 2020;10; 449-464.
- [426] Ridd MJ, King AJL, Le Roux E, Waldecker A, Huntley AL. Systematic review of self-management interventions for people with eczema. *Br J Dermatol*. 2017;177; 719-734.
- [427] Heratizadeh A, Werfel T, Wollenberg A, Abraham S, Plank-Habibi S, Schnopp C, et al. Effects of structured patient education in adults with atopic dermatitis: Multicenter randomized controlled trial. *J Allergy Clin Immunol*. 2017;140; 845-853.e843.
- [428] Gradwell C, Thomas KS, English JS, Williams HC. A randomized controlled trial of nurse follow-up clinics: do they help patients and do they free up consultants' time? *Br J Dermatol*. 2002;147; 513-517.
- [429] Chida Y, Steptoe A, Hiraoka N, Sudo N, Kubo C. The Effects of Psychological Intervention on Atopic Dermatitis. *International Archives of Allergy and Immunology*. 2007;144; 1-9.
- [430] Hamann CR, Egeberg A, Wollenberg A, Gislason G, Skov L, Thyssen JP. Pregnancy complications, treatment characteristics and birth outcomes in women with atopic dermatitis in Denmark. *J Eur Acad Dermatol Venereol*. 2019;33; 577-587.
- [431] Chi CC, Wang SH, Wojnarowska F, Kirtschig G, Davies E, Bennett C. Safety of topical corticosteroids in pregnancy. *Cochrane Database Syst Rev*. 2015; Cd007346.
- [432] Agency EM. Neoral Soft Gelatin Capsules - Summary of Product Characteristics (SmPC) - (emc). In).
- [433] Williams HC. Clinical practice. Atopic dermatitis. *N Engl J Med*. 2005;352; 2314-2324.
- [434] Rudikoff D, Cohen SR, Scheinfeld N. Clinical aspects and differential diagnosis of atopic dermatitis. In: *Atopic dermatitis and eczematous disorders*. CRC Press. 2014.
- [435] Marrs T, Perkin MR, Logan K, Craven J, Radulovic S, McLean WHI, et al. Bathing frequency is associated with skin barrier dysfunction and atopic dermatitis at three months of age. *J Allergy Clin Immunol Pract*. 2020;8; 2820-2822.
- [436] Ruff SMD, Engebretsen KA, Zachariae C, Johansen JD, Silverberg JI, Egeberg A, et al. The association between atopic dermatitis and hand eczema: a systematic review and meta-analysis. *British Journal of Dermatology*. 2018;178; 879-888.
- [437] Nørreslet LB, Ebbelhøj NE, Ellekilde Bonde JP, Thomsen SF, Agner T. The impact of atopic dermatitis on work life - a systematic review. *J Eur Acad Dermatol Venereol*. 2018;32; 23-38.

- [438] Bregnhøj A, Sosted H, Menne T, Johansen JD. Healthy worker effect in hairdressing apprentices. *Contact Dermatitis*. 2011;64; 80-84.
- [439] Wei J, Gerlich J, Vogelberg C, von Mutius E, Windstetter D, Genuneit J, et al. Do young adults with atopic dermatitis avoid harmful workplace exposure at their first job? A prospective cohort study. *International archives of occupational and environmental health*. 2016;89; 397-406.
- [440] Nyrén M, Lindberg M, Stenberg B, Svensson M, Svensson A, Meding B. Influence of childhood atopic dermatitis on future worklife. *Scandinavian journal of work, environment & health*. 2005;31; 474-478.
- [441] Holm EA, Esmann S, Jemec GB. The handicap caused by atopic dermatitis--sick leave and job avoidance. *J Eur Acad Dermatol Venereol*. 2006;20; 255-259.
- [442] Bandier J, Ross-Hansen K, Carlsen BC, Menne T, Linneberg A, Stender S, et al. Carriers of filaggrin gene (FLG) mutations avoid professional exposure to irritants in adulthood. *Contact Dermatitis*. 2013;69; 355-362.
- [443] Lammintausta K, Kalimo K. Does a patient's occupation influence the course of atopic dermatitis? *Acta Derm Venereol*. 1993;73; 119-122.
- [444] Whiteley J, Emir B, Seitzman R, Makinson G. The burden of atopic dermatitis in US adults: results from the 2013 National Health and Wellness Survey. *Curr Med Res Opin*. 2016;32; 1645-1651.
- [445] Fowler JF, Duh MS, Rovba L, Buteau S, Pinheiro L, Lobo F, et al. The direct and indirect cost burden of atopic dermatitis: an employer-payer perspective. *Manag Care Interface*. 2007;20; 26-32.
- [446] Zuberbier T, Orlow SJ, Paller AS, Taieb A, Allen R, Hernanz-Hermosa JM, et al. Patient perspectives on the management of atopic dermatitis. *J Allergy Clin Immunol*. 2006;118; 226-232.
- [447] Fivenson D, Arnold RJ, Kaniecki DJ, Cohen JL, Frech F, Finlay AY. The effect of atopic dermatitis on total burden of illness and quality of life on adults and children in a large managed care organization. *J Manag Care Pharm*. 2002;8; 333-342.
- [448] van Os-Medendorp H, Appelman-Noordermeer S, Bruijnzeel-Koomen C, de Bruin-Weller M. Sick Leave and Factors Influencing Sick Leave in Adult Patients with Atopic Dermatitis: A Cross-Sectional Study. *J Clin Med*. 2015;4; 535-547.
- [449] Yano C, Saeki H, Ishiji T, Ishiujii Y, Sato J, Tofuku Y, et al. Impact of disease severity on work productivity and activity impairment in Japanese patients with atopic dermatitis. *J Dermatol*. 2013;40; 736-739.
- [450] Ibler KS, Jemec GB. Permanent disability pension due to skin diseases in Denmark 2003-2008. *Acta Dermatovenerol Croat*. 2011;19; 161-164.
- [451] Landeck L, Visser M, Skudlik C, Brans R, Kezic S, John SM. Clinical course of occupational irritant contact dermatitis of the hands in relation to filaggrin genotype status and atopy. *Br J Dermatol*. 2012;167; 1302-1309.
- [452] Malkonen T, Alanko K, Jolanki R, Luukkonen R, Aalto-Korte K, Lauerma A, et al. Long-term follow-up study of occupational hand eczema. *Br J Dermatol*. 2010;163; 999-1006.
- [453] Agner T, Andersen KE, Brandao FM, Bruynzeel DP, Bruze M, Frosch P, et al. Contact sensitisation in hand eczema patients--relation to subdiagnosis, severity and quality of life: a multi-centre study. *Contact Dermatitis*. 2009;61; 291-296.
- [454] Lerbaek A, Kyvik KO, Ravn H, Menne T, Agner T. Clinical characteristics and consequences of hand eczema - an 8-year follow-up study of a population-based twin cohort. *Contact Dermatitis*. 2008;58; 210-216.
- [455] Meding B, Lantto R, Lindahl G, Wrangsjo K, Bengtsson B. Occupational skin disease in Sweden--a 12-year follow-up. *Contact Dermatitis*. 2005;53; 308-313.
- [456] Cvetkovski RS, Rothman KJ, Olsen J, Mathiesen B, Iversen L, Johansen JD, et al. Relation between diagnoses on severity, sick leave and loss of job among patients with occupational hand eczema. *Br J Dermatol*. 2005;152; 93-98.
- [457] Dickel H, Bruckner TM, Schmidt A, Diepgen TL. Impact of atopic skin diathesis on occupational skin disease incidence in a working population. *J Invest Dermatol*. 2003;121; 37-40.

- [458] Holm JO, Veierod MB. An epidemiological study of hand eczema. III. Characterization of hairdressers with and without hand eczema, regarding demographic factors and medical histories. *Acta Derm Venereol Suppl (Stockh)*. 1994;187; 15-17.
- [459] Lysdal SH, Sosted H, Andersen KE, Johansen JD. Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. *Contact Dermatitis*. 2011;65; 151-158.
- [460] Cvetkovski RS, Zachariae R, Jensen H, Olsen J, Johansen JD, Agner T. Prognosis of occupational hand eczema: a follow-up study. *Arch Dermatol*. 2006;142; 305-311.
- [461] Eckert L, Gupta S, Amand C, Gadkari A, Mahajan P, Gelfand JM. Impact of atopic dermatitis on health-related quality of life and productivity in adults in the United States: An analysis using the National Health and Wellness Survey. *Journal of the American Academy of Dermatology*. 2017;77; 274-279.e273.
- [462] Eckert L, Gupta S, Gadkari A, Mahajan P, Gelfand JM. Burden of illness in adults with atopic dermatitis: Analysis of National Health and Wellness Survey data from France, Germany, Italy, Spain, and the United Kingdom. *Journal of the American Academy of Dermatology*. 2019;81; 187-195.
- [463] Ariëns LFM, van Nimwegen KJM, Shams M, de Bruin DT, van der Schaft J, van Os-Medendorp H, et al. Economic Burden of Adult Patients with Moderate to Severe Atopic Dermatitis Indicated for Systemic Treatment. *Acta Derm Venereol*. 2019;99; 762-768.
- [464] Kwak Y, Kim Y. Associations between prevalence of adult atopic dermatitis and occupational characteristics. *International journal of nursing practice*. 2017;23.
- [465] Theodosiou G, Montgomery S, Metsini A, Dalgard FJ, Svensson A, Kobyletzki LB. Burden of Atopic Dermatitis in Swedish Adults: A Population-based Study. *Acta Derm Venereol*. 2019;99; 964-970.
- [466] Arima K, Gupta S, Gadkari A, Hiragun T, Kono T, Katayama I, et al. Burden of atopic dermatitis in Japanese adults: Analysis of data from the 2013 National Health and Wellness Survey. *J Dermatol*. 2018;45; 390-396.
- [467] Frimat P, Boughattas W, Even D. Atopic dermatitis: professional orientation. *Eur J Dermatol*. 2015;25; 3-6.
- [468] Apfelbacher CJ, Radulescu M, Diepgen TL, Funke U. Occurrence and prognosis of hand eczema in the car industry: results from the PACO follow-up study (PACO II). *Contact Dermatitis*. 2008;58; 322-329.
- [469] Radon K, Nowak D, Vogelberg C, Rueff F. Career Advice for Young Allergy Patients. *Dtsch Arztebl Int*. 2016;113; 519-524.